

INFORMATION TO OFFERORS OR QUOTERS

SECTION A - COVER SHEET

*Form Approved
OMB No. 9000-0002
Expires Oct 31, 2004*

The public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (9000-0002), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person will be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS. RETURN COMPLETED FORM TO THE ADDRESS IN BLOCK 4 BELOW.

1. SOLICITATION NUMBER SP0412-04-R-5086	2. (X one) <input type="checkbox"/> a. INVITATION FOR BID (IFB) <input checked="" type="checkbox"/> b. REQUEST FOR PROPOSAL(RFP) <input type="checkbox"/> c. REQUEST FOR QUOTATION (RFQ)	3. DATE/TIME RESPONSE DUE 2004 NOV 17 2:00 PM
---	---	---

INSTRUCTIONS

Note: The provision entitled "Required Central Contractor Registration" applies to most solicitations.

1. If you are not submitting a response, complete the information in Blocks 9 through 11 and return to the issuing office in Block 4 unless a different return address is indicated in Block 7
2. Offerors or quoters must include full, accurate, and complete information in their responses as required by this solicitation (including attachments). "Fill-ins" are provided on Standard Form 18, Standard Form 33, and other solicitation documents. Examine the entire solicitation carefully. The penalty for making false statements is prescribed in 18 U.S.C. 1001.
3. Offerors or quoters must plainly mark their responses with the Solicitation Number and the date and local time for bid opening or receipt of proposals that is in the solicitation document.
4. Information regarding the timeliness of response is addressed in the provision of this solicitation entitled either "Late Submissions, Modifications, and Withdrawals of Bids" or Instructions to Offerors - Competitive Acquisition".

4. ISSUING OFFICE (Complete mailing address, including Zip Code) Defense Supply Center Richmond ATTN: DSCR Procurement 8000 Jefferson Davis Highway Richmond, Virginia 23297-5770	5. ITEMS TO BE PURCHASED (Brief description) MULTIPLE NSN'S (26)
---	--

6. PROCUREMENT INFORMATION (X and complete as applicable)	
<input type="checkbox"/> a. THIS PROCUREMENT IS UNRESTRICTED	
<input checked="" type="checkbox"/> b. THIS PROCUREMENT IS <u>100</u> % SET-ASIDE FOR SMALL BUSINESS. THE APPLICABLE NAICS CODE IS: _____	
<input type="checkbox"/> c. THIS PROCUREMENT IS _____ % SET-ASIDE FOR HUB ZONE CONCERNS. THE APPLICABLE NAICS CODE IS: _____	
<input type="checkbox"/> d. THIS PROCUREMENT IS RESTRICTED TO FIRMS ELIGIBLE UNDER SECTION 8(a) OF THE SMALL BUSINESS ACT.	

7. ADDITIONAL INFORMATION Multiple NSNs. Offeror is not required to propose an offer on all NSNs. Please remember to complete clause fill-ins, provide pricing, and provide surge plan, if required. You may provide additional past performance information.

8. POINT OF CONTACT FOR INFORMATION	
a. NAME (Last, First, Middle Initial) Dolores O'Brien PZGDDA3	b. ADDRESS (Include Zip Code) Defense Supply Center Richmond ATTN: DSCR Procurement 8000 Jefferson Davis Highway Richmond, Virginia 23297-5151
c. TELEPHONE NUMBER (Include Area Code and Extension) 804) 279-4567.	d. E-MAIL ADDRESS Dolores.O'Brien@dla.mil

9. REASONS FOR NO RESPONSE (X all that apply)			
<input type="checkbox"/> a. CANNOT COMPLY WITH SPECIFICATIONS	<input type="checkbox"/> d. DO NOT REGULARLY MANUFACTURE OR SELL THE TYPE OF ITEMS INVOLVED	<input type="checkbox"/> b. UNABLE TO IDENTIFY THE ITEM(S)	<input type="checkbox"/> e. OTHER (Specify)
<input type="checkbox"/> c. CANNOT MEET DELIVERY REQUIREMENT			

10. MAILING LIST INFORMATION (X one)	
WE <input type="checkbox"/> DO <input type="checkbox"/>	DO NOT DESIRE TO BE RETAINED ON THE MAILING LIST FOR FUTURE PROCUREMENT OF THE TYPE INVOLVED.

11a. COMPANY NAME	b. ADDRESS (Include Zip Code)
-------------------	-------------------------------

c. ACTION OFFICER			
(1) Typed or Printed Name (Last, First, Middle Initial)	(2) Title	(3) Signature	(4) DATE SIGNED (yyymmdd)

FOLD

FOLD

FROM

AFFIX
STAMP
HERE

SOLICITATION NUMBER SP0412-04-R-5086	
DATE (YYMMDD) 2004 NOV 17	LOCAL TIME 2:00 PM

TO **Defense Supply Center Richmond
ATTN: DSCR-JJC
8000 Jefferson Davis Highway
Richmond, Virginia 23297-5860**

SOLICITATION, OFFER AND AWARD		1. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700) ->		RATING DOA1	PAGE OF PAGES 1 66
2. CONTRACT NO.		3. SOLICITATION NO. SP0412-04-R-5086		4. TYPE OF SOLICITATION <input type="checkbox"/> SEALED BID (IFB) <input checked="" type="checkbox"/> NEGOTIATED (RFP)	5. DATE ISSUED 2004 SEP 17
7. ISSUED BY Defense Supply Center Richmond ATTN: DSCR Procurement 8000 Jefferson Davis Highway Richmond, Virginia 23297-5151		CODE SP0400	8. ADDRESS OFFER TO (If other than Item 7) Bid Custodian Defense Supply Center Richmond ATTN: DSCR Procurement 8000 Jefferson Davis Highway Richmond, Virginia 23297-5860		
6. REQUISITION/PURCHASE NO. RK042090020000					

SOLICITATION

9. Sealed offers in original and no copies for furnishing the supplies or services in the Schedule will be received at the place specified in Item 8, or if handcarried, in the depository located in Reception Area (Bldg. 33) until 2:00 PM local time 2004 NOV 17
(Hour) (Date)

FAX Number(s): (804)279-4165

CAUTION - LATE Submissions, Modifications, and Withdrawals: Section L, Provision No. 52.214-7 or 52.215-1.
All offers are subject to all terms and conditions contained in this solicitation.

10. FOR INFORMATION CALL: ->	A. NAME Dolores O'Brien PZGDDA3
	B. PHONE / FAX (NO COLLECT CALLS) (804) 279-4567 / FAX: (804) 279-3715
	C. E-MAIL ADDRESS Dolores.O'Brien@dla.mil

11. TABLE OF CONTENTS

(X)	SEC.	DESCRIPTION	PAGE(S)	(X)	SEC.	DESCRIPTION	PAGE(S)
PART I - THE SCHEDULE				PART II - CONTRACT CLAUSES			
X	A	SOLICITATION/CONTRACT FORM	1	X	I	CONTRACT CLAUSES	13
X	B	SUPPLIES OR SERVICES AND PRICES/COSTS	6	PART III - LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACH.			
X	C	DESCRIPTION/SPECS./WORK STATEMENT	10	X	J	LIST OF ATTACHMENTS	17
X	D	PACKAGING AND MARKING	11	PART IV - REPRESENTATIONS AND INSTRUCTIONS			
X	E	INSPECTION AND ACCEPTANCE	12	X	K	REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS OF OFFERORS	18
X	F	DELIVERIES OR PERFORMANCE	12	X	L	INSTRS., CONDS., AND NOTICES TO OFFERORS	20
	G	CONTRACT ADMINISTRATION DATA		X	M	EVALUATION FACTORS FOR AWARD	23
	H	SPECIAL CONTRACT REQUIREMENTS					

NOTE: Item 12 does not apply if the solicitation includes the provisions at 52.214-16, Minimum Bid Acceptance Period.

12. In compliance with the above, the undersigned agrees, if this offer is accepted within _____ calendar days (60 calendar days unless a different period is inserted by the offeror) from the date for receipt of offers specified above, to furnish any or all items upon which prices are offered at the price set opposite each item, delivered at the designated point(s), within the time specified in the schedule.

13. DISCOUNT FOR PROMPT PAYMENT (See Section I, Clause No. 52.232-8)		10 CALENDAR DAYS	20 CALENDAR DAYS	30 CALENDAR DAYS	CALENDAR DAYS
		%	%	%	%
14. ACKNOWLEDGMENT OF AMENDMENTS (The offeror acknowledges receipt of amendments to the SOLICITATION for offerors and related documents numbered and dated: ->		AMENDMENT NO.	DATE	AMENDMENT NO.	DATE
15A. NAME AND ADDRESS OF OFFEROR		CODE	FACILITY	16. NAME AND TITLE OF PERSON AUTHORIZED TO SIGN OFFER (Type or print)	
15B. TELEPHONE NO. (Include area code)	<input type="checkbox"/> 15C. CHECK IF REMITTANCE ADDRESS IS DIFFERENT FROM ABOVE - ENTER SUCH ADDRESS IN SCHEDULE.		17. SIGNATURE		18. OFFER DATE
15D. FAX NO.	15E. E-MAIL ADDRESS				

AWARD (To be completed by Government)

19. ACCEPTED AS TO ITEMS NUMBERED	20. AMOUNT	21. ACCOUNTING AND APPROPRIATION	
22. AUTHORITY FOR USING OTHER THAN FULL AND OPEN COMPETITION: <input type="checkbox"/> 41 U.S.C. 2304(c) () <input type="checkbox"/> 41 U.S.C. 253(c) ()		23. SUBMIT INVOICES TO ADDRESS SHOWN IN (4 copies unless otherwise specified) ->	ITEM
24. ADMINISTERED BY (If other than Item 7)	CODE	25. PAYMENT WILL BE MADE BY	
26. NAME OF CONTRACTING OFFICER (Type or print)		27. UNITED STATES OF AMERICA (Signature of Contracting Officer)	28. AWARD DATE

IMPORTANT - Award will be made on this Form, or on Standard Form 26, or by other authorized official written notice.

Scope and Purpose: The purpose of this solicitation is to provide worldwide support for the National Stock Numbers (NSNs) listed in Attachment #1. The NSNs are within FSC 1560 and NAICS 336413. The NSNs will be evaluated on a line-by-line basis and multiple contracts may be awarded. Contractors may quote on as many NSNs as they have the capability to perform. The contract(s) awarded will be Indefinite Delivery Indefinite Quantity type contract(s). The solicitation contains a two-year base period with three one-year option periods.

Requirements: Delivery orders will be issued using EDI or manually on a DD Form 1155. The obligations of the parties and terms of this contract will remain in effect for any DO that remains open after the expiration of the final ordering period.

Pricing: The Contractor is to provide pricing for the base period and option periods. Attachment #1 identifies the NSNs and estimated demand quantities for the base period and option periods. Please provide contractor pricing on this spreadsheet. Contractors are encouraged to consider minimum order quantities (MOQ) when setting prices. Offers will be evaluated based on the estimated annual demand quantity (EDQ). These numbers are based on the best projection available at the time of this solicitation and are subject to change.

Evaluation: For evaluation purposes, each individual NSN will be evaluated by multiplying the proposed unit price times the EDQ to arrive at the estimated total for each NSN.

For clarification purposes: When the term “base year” is cited throughout this solicitation it is to be interpreted as “base period” which consists of two years. The resulting contract will have a two-year base period and will include three one-year option periods.

**Vendors are highly encouraged to submit pricing in an electronic format (spreadsheet) either through e-mail or on a disk to help expedite the evaluation process.

Guarantee: A guaranteed minimum dollar value will be applied to the base period only. The Government will compute a different minimum for each contract awarded under this solicitation in accordance with the following formula:

10% of the aggregate extended dollar value of the estimated demand quantity (EDQ) for the NSNs, computed as follows:

$$0.1 \times ([\text{NSN1 price} \times \text{EDQ}] + [\text{NSN2 price} \times \text{EDQ}] + \text{etc...})$$

Maximum: The maximum contract value is defined as 200% of the aggregate extended dollar value of the estimated value for the base period or each option period.

Delivery: The contractor shall deliver directly to the DLA distribution depot designated on each DO. The contractor shall ship ordered items on or before the required contract delivery date specified in the DO. The required delivery days for each NSN are indicated in Attachment #1.

Transportation: Delivery shall be FOB destination. The Contractor shall consolidate shipments from the same source to the same destination whenever possible.

Surge and Sustainment: NSNs having Surge and Sustainment requirements are identified in Attachment #2. Clauses 52.217-9G25 (I92K) Surge & Sustainment Requirement, 52.217-9G26 (L59DA) Surge & Sustainment Capability Assessment, and 52.217-9G27 (M19CA) Surge and Sustainment Evaluation – Minimum Requirements are applicable.

In accordance with Clause 52.217-9G26, proposals submitted in response to this solicitation shall include a proposed approach to meeting the Surge and Sustainment (S&S) requirement for the NSNs identified.

Surge Support is one of the evaluation factors; therefore, offerors are required to comply with the specific clauses/provisions.

CLIN 6000 – Surge and Sustainment Requirement. Notice to Offerors: Clin 6000 is the surge quantity that may be ordered by the Government in a military contingency. The Government is not obligated to order any of the surge quantities and the contractor should not ship such quantities without receipt of an order clearly designated for surge quantities. The surge quantity requirements are identified in Attachment #2. The offeror must specify the percentage of price increase for surge quantities or state 'none'. If the offeror fails to do so, the offeror will be evaluated with no additional charge for surge quantities.

Investment costs: Investment costs, if any, to execute the surge plan otherwise state 'none'. Reference Clause 52.217-9G25, 252.217-9006 and 52.217-9G26.

Packaging Requirements: Higher-level packaging requirements in accordance with MIL-STD-2073 apply. All items shall be marked in accordance with MIL-STD 129P. The contractor is required to package material in accordance with Quantity Unit Pack (QUP) specified in MIL-STD-2073 and the Unit of Issue (UI) specified in each DO.

MIL-STD-130K, DATED 15 JAN 2000.

IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

For all shipments of packaged materiel to the government, which includes either Depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002, as amended by Change Notice 1, dated January 15, 2004. 2-D bar coding shall be in accordance with ISO-IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 Or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD Shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic Contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

Quality: The contractor shall establish, implement, document and maintain a quality system that ensures conformance to all contractual requirements and meets the requirements of ISO 9001:2000. However, the contractor may propose an equivalent quality system model. If the contractor chooses to propose an equivalent quality system, Clause 52.246-11 (E5) Higher Level Quality Requirements must be completed.

NSNs that require origin inspection are coded C or 1 in the PIC field of the Quality Matrix (Attachment #3). NSNs that require destination inspection are coded 2 in the PIC field. Quality Assurance Provisions for each NSN also appear in Attachment #3.

Access to Technical Data Packages: Items shall be manufactured in accordance with Government technical data packages and drawings. The contractor may obtain technical data packages using the following website: <http://www.dscr.dla.mil/tdmd>. Contractors must have a membership number to access technical data. Contractors must follow the instructions provided on this website to obtain a membership number and technical data.

The Contractor is responsible for notifying the Government if the drawings or technical data is different from the information cited in the Procurement Item Description (PID).

*****Procurement Item Descriptions for each NSN are included as Attachment #4 and begin on page 24 of this solicitation package.*****

NOTE: This solicitation includes the attachments listed below which should be downloaded from the following DSCR website:

<http://www.dscr.dla.mil/proc/VPV/vpvhome.htm>

Attachment #1	Pricing Sheet (Excel spreadsheet)	Page 5
Attachment #2	Surge and Sustainment (Excel spreadsheet)	Page 6
Attachment #3	Quality Matrix (Excel spreadsheet)	Page 7
Attachment #4	PID data - (HTML file)	Page 24

Line Item	NSN	NOMENCLATURE	UI	Estimated Demand Two-Year Base Period	Estimated Demand Option Year 1	Estimated Demand Option Year 2	Estimated Demand Option Year 3	Minimum Ordering Quantity	Maximum Ordering Quantity	Unit Price Two-Year Base Period	Unit Price Option Year 1	Unit Price Option Year 2	Unit Price Option Year 3	Requested Delivery (in days ARO)	Proposed Delivery (in days ARO)
0001	1560-00-053-5118	PLATE,STRUCTURAL,AI	EA	63	79	79	79	20	79					35	
0002	1560-00-055-8811	SUPPORT,STRUCTURAL	EA	5	4	4	4	4	8					138	
0003	1560-00-325-1439	PLATE,STRUCTURAL,AI	EA	4	12	12	12	4	12					144	
0004	1560-00-326-9882	PLATE,STRUCTURAL,AI	EA	59	1003	1003	1003	250	1003					156	
0005	1560-00-391-3227	SUPPORT,STRUCTURAL	EA	6	4	4	4	4	8					64	
0006	1560-00-436-2409	PLATE,STRUCTURAL,AI	EA	84	272	272	272	68	272					79	
0007	1560-00-574-9532	SUPPORT,STRUCTURAL	EA	2	3	3	3	3	6					195	
0008	1560-00-674-3851	PLATE,STRUCTURAL,AI	EA	12	45	45	45	12	45					128	
0009	1560-00-676-6644	PLATE,STRUCTURAL,AI	EA	17	27	27	27	7	27					82	
0010	1560-00-731-0571	PLATE,STRUCTURAL,AI	EA	216	256	256	256	64	256					116	
0011	1560-00-852-4169	SUPPORT,STRUCTURAL	EA	13	8	8	8	3	8					79	
0012	1560-00-859-9708	SUPPORT,STRUCTURAL	EA	15	15	15	15	4	15					80	
0013	1560-01-004-1786	FORMER,AIRCRAFT	EA	48	248	248	248	48	248					85	
0014	1560-01-020-4162	SUPPORT,STRUCTURAL	EA	19	8	8	8	2	8					163	
0015	1560-01-021-5500	SUPPORT,STRUCTURAL	EA	10	11	11	11	3	11					66	
0016	1560-01-027-1682	SUPPORT,STRUCTURAL	EA	5	2	2	2	2	4					90	
0017	1560-01-037-8401	SUPPORT,STRUCTURAL	EA	62	105	105	105	27	105					88	
0018	1560-01-039-9205	SUPPORT,STRUCTURAL	EA	2	2	2	2	2	4					153	
0019	1560-01-068-7962	FITTING,STRUCTURAL C	EA	9	6	6	6	3	6					120	
0020	1560-01-108-1295	SUPPORT,STRUCTURAL	EA	2	2	2	2	2	4					86	
0021	1560-01-131-6134	FITTING,STRUCTURAL C	EA	78	24	24	24	6	24					176	
0022	1560-01-144-4985	SUPPORT,STRUCTURAL	EA	7	8	8	8	2	8					63	
0023	1560-01-146-7553	FORMER,AIRCRAFT	EA	7	15	15	15	4	15					67	
0024	1560-01-176-8577	SUPPORT,STRUCTURAL	EA	5	13	13	13	5	13					154	
0025	1560-01-177-4348	SUPPORT,STRUCTURAL	EA	103	104	104	104	26	104					97	
0026	1560-01-177-4353	SUPPORT,STRUCTURAL	EA	75	75	75	75	19	75					166	

SP0412-04-R-5086
SURGE AND SUSTAINMENT

Line Item	NSN	ITEM NAME	30 DAYS	60 DAYS	90 DAYS	120 DAYS	150 DAYS	160 DAYS	Total Surge Quantity	Unit Price Surge (Base Period)	Unit Price Surge (Option Period)	6000 Surge Support Plus %	9960 Capability Assessment \$	9965 Investment Cost \$
6009	1560-00-676-6644	Plate, Structural	1	1	1	1	1	1	6					
6020	1560-01-108-1295	Support, Structural	1	1	1	1	1	1	6					
6022	1560-01-144-4985	Support, Structural	1	1	1	0	0	0	3					
6023	1560-01-146-7553	Former, Aircraft	1	1	1	1	1	1	6					

SP0412-04-R-5086
Quality Matrix

Line Item	NSN	NOMENCLATURE	ORC	PC	TEAM	PIC	UI	CRITICAL ITEM CD	PRECIOUS METALS IND	BOEING RIGHTS GUARD DATA IND	QAP	MYLARS	EXPORT CONTROL
0001	1560-00-053-5118	PLATE,STRUCTURAL,AI	DI	10	01	2	EA	Y	U	Y	13873 QAP-008		Y
0002	1560-00-055-8811	SUPPORT,STRUCTURAL	DI	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0003	1560-00-325-1439	PLATE,STRUCTURAL,AI	DI	10	01	2	EA	Y	A	Y	13873 QAP-008	Y	Y
0004	1560-00-326-9862	PLATE,STRUCTURAL,AI	DI	10	01	2	EA	Y	U	Y	13873 QAP-008	Y	Y
0005	1560-00-391-3227	SUPPORT,STRUCTURAL	DI	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0006	1560-00-436-2409	PLATE,STRUCTURAL,AI	DB	10	01	2	EA	Y	U	Y	13873 QAP-008		Y
0007	1560-00-574-9532	SUPPORT,STRUCTURAL	DB	10	01	2	EA	Y	A	N	13873 QAP-008		Y
0008	1560-00-674-3851	PLATE,STRUCTURAL,AI	DB	10	01	2	EA	Y	A	Y	13873 QAP-008	Y	Y
0009	1560-00-676-6644	PLATE,STRUCTURAL,AI	DB	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0010	1560-00-731-0571	PLATE,STRUCTURAL,AI	DB	10	01	2	EA	Y	3	Y	13873 QAP-008		Y
0011	1560-00-852-4169	SUPPORT,STRUCTURAL	DJ	10	01	2	EA	Y	A	Y	13873 QAP-008	Y	Y
0012	1560-00-859-9708	SUPPORT,STRUCTURAL	DJ	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0013	1560-01-004-1786	FORMER,AIRCRAFT	DV	10	09	2	EA	Y	A	N	13873 QAP-008		Y
0014	1560-01-020-4162	SUPPORT,STRUCTURAL	DF	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0015	1560-01-021-5500	SUPPORT,STRUCTURAL	DF	10	01	C	EA	Y	A	Y	13873 QAP-008		Y
0016	1560-01-027-1682	SUPPORT,STRUCTURAL	DS	10	03	2	EA	Y	A	Y	13873 QAP-008		Y
0017	1560-01-037-8401	SUPPORT,STRUCTURAL	DR	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0018	1560-01-039-9205	SUPPORT,STRUCTURAL	DS	10	03	2	EA	Y	A	Y	13873 QAP-008		Y
0019	1560-01-068-7962	FITTING,STRUCTURAL C	DS	10	03	2	EA	Y	A	Y	13873 QAP-008		Y
0020	1560-01-108-1295	SUPPORT,STRUCTURAL	DR	10	01	2	EA	Y	A	N	13873 QAP-008	Y	Y
0021	1560-01-131-6134	FITTING,STRUCTURAL C	DF	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0022	1560-01-144-4985	SUPPORT,STRUCTURAL	DR	10	01	2	EA	Y	A	N	13873 QAP-008		Y
0023	1560-01-146-7553	FORMER,AIRCRAFT	DS	10	03	2	EA	Y	A	N	13873 QAP-008	Y	Y
0024	1560-01-176-8577	SUPPORT,STRUCTURAL	DR	10	01	2	EA	Y	A	Y	13873 QAP-008	Y	Y
0025	1560-01-177-4348	SUPPORT,STRUCTURAL	DF	10	01	2	EA	Y	A	Y	13873 QAP-008		Y
0026	1560-01-177-4353	SUPPORT,STRUCTURAL	DR	10	01	2	EA	Y	A	Y	13873 QAP-008		Y

CONTINUATION SHEET

Solicitation Number:

SP0412-04-R-5086

PAGE OF PAGES

8

66

NOTICE TO CONTRACTORS: Per FAR 52.102, the majority of clauses, provisions, notices are included by reference (number, title, and date). For fill-ins providing or collecting data, this document will include only the paragraph(s) relating to the fill-in data. DSCR notes appended to FAR/DFARS clauses/provisions are full text.

data an Annual Certification for the Use of Rights Guard Technical Data, DSCR Form P42, and an Annual Rights Guard Destruction Certification, DSCR Form 4178, must be on file at DSCR-VA, ATTN: Rights Guard Program, Richmond, VA 23297-5604. Contact 804-279-5912 for forms.

Quality Assurance Provisions (QAPs), Contract Data Requirements Lists (CDRLs), drawings relating to Special Packaging Instructions (SPIs), and Individual Repair Parts Ordering Data (IRPODs) are included by reference.

B68 47-3A DSCR FORM P-41 FREIGHT SHIPPING INFORMATION (OCT 1999)

FAR Clause 52.252-2 (Sec I) and FAR Provision 52.252-1 (Sec L) provide on-line sites for accessing the full text of these documents and DSCR Form P41 shipping instructions.

Freight shipping addresses and scheduling instructions, if applicable, are available in Section 3 of the DSCR Master Solicitation <http://www.dscr.dla.mil/procurement/mastersol.htm>.

References in this document to MIL-STD-129 or MIL-STD-129 (Latest Revision) are intended to mean MIL-STD-129P, December 15, 2002.

SECTION C

C3 52.211-9G33 POPS - COMPUTER COMPATIBILITY DSCR (MAR 2001)

SECTION B

B21B 11-9 POPS - PRODUCT INFORMATION: DSCR (JAN 1996)

Offerors are required to provide the following information regarding the items offered:

(a) In support of the Paperless Ordering Placement System (POPS), the awardee will be required to have a compatible computer system capable of accepting our offers and processing Electronic Data Interchange (EDI) transactions. The American National Standards Institute's (ANSI) X12 Standard will be utilized for formatting the EDI transactions. The EDI system must be available for on line processing not later than 30 days after date of award.

MANUFACTURER'S NAME

PART NUMBER/CATALOG NUMBER

Offerors shall write/type this information on the schedule of items below each item description unless such information has already been identified in the item description.

(b) The computer system must also be Year 2000 (Y2K) Compliant. Year 2000 compliant, used with respect to technology, means that the information technology accurately processes date/time data (including, but not limited to, calculating, comparing, and sequencing) from, into, and between the twentieth and twenty-first centuries, and the years 1999 and 2000 and leap year calculations, to the extent that other information technology, used in combination with the information technology being acquired, properly exchanges date/time data with it.

B24A 14-1 FACSIMILE BIDS/PROPOSALS DSCR (MAR 1999)

(a) Facsimile bids/proposals, amendments (including final proposal revisions (FPRs)), and withdrawals will not be considered unless authorized in the solicitation by either Provision 52.214-31, Facsimile Bids, or 52.215-5, Facsimile Proposals (Sec L). IF NEITHER PROVISION IS IN THE SOLICITATION, FACSIMILE TRANSMITTED DATA AS DESCRIBED ABOVE SHALL BE REJECTED.

(c) The following ANSI X12 transaction sets are currently sent, received, and processed by the Defense Supply Center Richmond:

850 Purchase/Delivery Order Transaction Set
856 Ship Notice/Manifest Transaction Set

(b) In solicitations that do contain either Provision 52.214-31 or 52.215-5, bidders/offerors are notified that for bid/proposal security reasons the FACSIMILE EQUIPMENT AS IDENTIFIED IN THE PROVISION IS NOT LOCATED AT THE PLACE DESIGNATED FOR RECEIPT OF BIDS/OFFERS. REGULAR INTEROFFICE MAIL PICK-UP OF FACSIMILE TRANSMISSIONS OCCURS AT 10:30 A.M. AND 1:30 P.M. DAILY.

(d) Awardee must be capable of sending, receiving, and processing the above ANSI X12 transaction sets and have an electronic mailbox on a DAASC certified Value Added Network (VAN). For 856 Ship Notice/Manifest Transaction Sets, the awardee will have the option of using the Web-856 application, if it becomes available.

(1) Bids, bid amendments, and bid withdrawals received by the facsimile equipment prior to 10:30 a.m. on the day of bid opening will be presumed to have been received on time.

(e) Information regarding EDI, ANSI X12 transactions, and DAASC approved VANS can be obtained from the DAAS web site by going to www.daas.dla.mil, then select SYSTEMS & SERVICES, next select EC/EDI, and lastly select DAASC's VAN LIST.

(2) Proposals, amendments to proposals, withdrawals of proposals, and FPRs received by facsimile equipment prior to 1:30 p.m. on the day of closing will be presumed to have been received on time.

(f) Specifics of the POPS System can be obtained from:

Defense Supply Center, Richmond
Directorate of Planning and Resource Management
Systems and Procedures Division
ATTN: DSCR-OZP, Sandra Moore
8000 Jefferson Davis Highway
Richmond, VA 23297-5516
(Phone: (804) 279-4552)

B33 17-5 MANDATORY OPTION REQUIREMENT DSCR (MAR 1999)

The option clause in Section I of this solicitation is MANDATORY. FAILURE TO PROVIDE this pricing information may result in rejection of your offer. If Schedule prices are requested on both an origin and destination basis and/or on incremental quantities, option prices must be offered in the same manner.

(g) The POPS implementation convention can be viewed by going to the DSCR web site at www.dscr.dla.mil/edi/pops/pops.htm. The link for 850 and 856 POPS is: www.dscr.dla.mil/edi2/pops1.htm.

B33C 17-13 POPS-GENERAL SOLICITATION NOTICE DSCR (OCT 2001)

Delivery orders may be placed during the ordering period identified in FAR Clause 52.216-18 (Section I). The acquisition contains provisions for 3 option years. See DSCR Clause 52.217-9G08 (Section I).

(h) The following vendor EDI/Y2K information applies (vendor fill-in):

EDI/Y2K Point(s) of Contact: _____

Phone Number(s): _____

Value Added Network (VAN): _____

ISA07 Qualifier: _____

ISA08 identifier: _____

GS03 Identifier: _____

B47 27-1 RIGHTS GUARD DSCR (FEB 1998)

Rights Guard data restrictions apply; see Clause 52.227-9G05 (Section I). Prior to requesting technical

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:

SP0412-04-R-5086

PAGE OF PAGES

9

66

SECTION D

D4K 52.211-9G73 PACKAGING AND MARKING REQUIREMENTS (MAR 2004) DSCR

(a) Unless stated otherwise, commercial packaging in accordance with ASTM-D-3951 is required for CONUS shipments from the contractor directly to the customer. Commercial packaging and marking is not sufficient for vendor shipments requiring movement through the Defense Transportation System (also referred to as the Military Distribution System or DLA Depot) as the shipment could ultimately be moved via Military Air.

(b) Higher level packaging in accordance with MIL-STD-2073 is mandatory for all shipments that meet the below criteria:

Movement through the Defense Transportation System including shipments to a Military Distribution facility or depot.

OCONUS shipments
FMS shipments
Hazardous material, as cited in the AID or in the Quality Requirements Matrix.

(c) Materials not considered as HAZMAT for CONUS or OCONUS commercial air shipments may be considered HAZMAT for MILAIR shipments OCONUS. As such, contractors/shippers shall ensure that material meeting HAZMAT definitions in DLAI 4145.3, Preparing Hazardous Materials for Military Air Shipment, is packaged in accordance with that instruction when the consignee is OCONUS and the shipment will be moved through the Defense Transportation System. DLAI 4145.3 is available on the internet at:
www.dssc.dla.mil/downloads/packaging/dlai4145_3.pdf.

(d) All items shall be marked in accordance with MIL-STD-129P. Hazardous items and shelf life items, as cited in the AID or in the Quality Requirements Matrix, shall be marked in accordance with MIL-STD-129P and the appropriate clauses cited in the appendix to the matrix and the contract. The contractor is required to package material in accordance with Quantity Unit Pack (QUP), specified in MIL-STD-2073 and the Unit of Issue (UI), specified in each delivery order. A packing slip shall be located in a plastic pouch on the outside of the package. For HAZMAT destined OCONUS, a hard copy of the Material Safety Data Sheet (MSDS) must also be included.

(e) In the event of deployments, this clause may be invoked when shipments originally destined for a CONUS location are diverted to OCONUS destinations thereby necessitating movement of the material through the Defense Transportation System. In such an event, contractors will be notified by the Contracting Officer and an equitable adjustment will be made in the contract price as deemed appropriate.

NOTE: Applicable to negotiated solicitations. Offers that do not comply with the packaging and marking requirements as specified in Section D of this solicitation may be subject to rejection as being technically unacceptable.

D04 52.211-9010 MILITARY SHIPPING LABEL (MSL) REQUIREMENT - MIL-STD-129P (FEB 2004)

(a) MIL-STD-129, Revision P, dated December 15, 2002, establishes the requirement for Contractors that ship packaged materiel to the Government to provide both linear and two-dimensional (2-D) bar coding on military shipping labels (MSLs) (but see exceptions in paragraph (d)). The new requirements apply to all shipments, which includes either depot (DLA-Direct) or DVD (Customer-Direct) shipments. Linear (Code 3 of 9 or Code 39) bar codes continue to be required on interior packages (unit and intermediate packages) for the National Stock Number (NSN) and, when applicable, the serial number; and on shipping containers and palletized unit loads for the NSN, Contractor and Government Entity (CAGE) Code, contract number and, when applicable, the serial number. The new requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P.

(b) The new MSL replaces former DD Form 1387 and is illustrated in Figures 2a and 2b of MIL-STD-129P. The MSL requires Code 3 of 9 or Code 39 linear bar codes for the

Transportation Control Number (TCN), piece number and DoDAAC for the ultimate consignee or mark-for address. The 2-D bar code on the MSL must contain the document (requisition) number, NSN, Routing Identifier Code (RIC), Unit of Issue, Quantity, Condition Code, and Unit Price, which are ordinarily included on the DD Form 250 or the DD Form 1348-1A. MIL-STD-129P provides numerous illustrations of what must be bar-coded and the recommended placement of the bar code. When the contract omits any data element required to be bar-coded, the field should be zero-filled.

(c) MIL-STD-129P, sources for conforming labels, and related information are available on the DLA Packaging Web Site at URL:<http://www.dssc.dla.mil/offices/packaging/specstdslist.html#STDs>.

(d) This clause does not apply to -

(1) Subsistence items procured through full-line food distributors (prime vendors), 'market ready' type items such as fresh milk, ice cream, and other fresh dairy products, fresh bread and other fresh bakery products, and all fresh fruits and vegetables, shipped within the Continental United States (CONUS) to customers within CONUS;

(2) Any item for which ownership remains with the vendor until the item is placed in designated locations at the customer location prior to issuance to the customer. Government control begins upon placement of the item by the vendor into the designated location or issuance from the designated location by vendor personnel (i.e., the vendor is required to stock bins at the customer location and/or issue parts from a vendor controlled parts room); or

(3) Bulk purchases of petroleum, oil and lubricant products delivered by (1) pipeline; or (2) tank car, tanker and tank trailer for which the container has (i) a capacity greater than 450 L (119 gallons) as a receptacle for a liquid; (ii) a maximum net mass greater than 400 kg (882 pounds) and a capacity greater than 450 L (119 gallons) as a receptacle for a solid; or (iii) a water capacity greater than 454 kg (1000 pounds) as a receptacle for a gas.

NOTES: In bar code element 1 above, the Document Number consists of a 14-character (15 characters when a suffix is included) alphanumeric code. It may be listed on a contract/award as the Requisition Number, Transportation Control Number (TCN), etc.

In bar code element 2 above, the NSN will appear as a 13-digit code without the dashes.

In bar code element 3 above:

The RIC for each procuring activity is as follows:

S9C - Defense Supply Center Columbus - Construction
S9E - Defense Supply Center Columbus - Electronics
S9G - Defense Supply Center Richmond
S9I - Defense Supply Center Philadelphia - General and Industrial
S9T - Defense Supply Center Philadelphia - Clothing and Textiles
S9M - Defense Supply Center Philadelphia - Medical Materiel
S9P - Defense Supply Center Philadelphia - Perishable Subsistence
S9S - Defense Supply Center Philadelphia - Semi-perishable Subsistence

The appropriate unit of issue (U/I) will appear as a two digit alpha character.

The quantity will appear as a five-position number, including zero fillers on the left.

The above will be followed by an 'A' and eight zeros, (i.e. 'A00000000')

NO SPACES SHALL SEPARATE THE INDIVIDUAL DATA ELEMENTS WITHIN EACH LINE.

A copy of ISO/IEC-16388 is available from:

The American National Standards Institute
25 West 43rd Street
New York, NY 10036

or through www.ansi.org or www.iso.ch.

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
10 66

SECTION E

- E3 52.246-2 INSPECTION OF SUPPLIES - FIXED PRICE (AUG 1996)
- E5 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (FEB 1999)

The Contractor shall comply with the applicable higher-level contract quality requirement cited below, which is hereby incorporated into this contract:

ISO 9001 or ANSI/ASQC Q9001 when Quality Assurance Provision (QAP) 005, 006, 159, 189, 216, 222, V02, or V03 is included.

ISO 9002 or ANSI/ASQC Q9002 for any other QAPs.

DSCR NOTE to 52.246-11:

The higher-level standards referenced above shall apply unless the contractor indicates the proposal is based on a contractor's preferred quality system as identified below:

- [] Other recognized industry standard(s) (but non-ISO/ANSI/ASQC) that is equivalent to or better than applicable ISO/ANSI/ASQC standard indicated above.
Specify _____
- [] Other process control system that is equivalent to or better than the applicable ISO/ANSI/ASQC standard indicated above which has not previously been determined to be insufficient for the Government's purpose. This may include previously recognized MIL-I-45208 or MIL-Q-9858 systems which have been augmented to be equivalent to ISO 9002 or ISO 9001 respectively.

- [] An existing system modeled after
 - [] MIL-I-45208 or
 - [] MIL-Q-9858
 and not previously determined insufficient for the Government's purpose.
 THIS OPTION IS PERMITTED ONLY AS AN INTERIM MEASURE TO ALLOW CONTRACTORS TO TRANSITION TO ISO/ANSI/ASQC STANDARDS.

Third party certification/registration is not required nor will it be considered a substitute for the Government's right to audit/validate a contractor's quality system. ISO 9001 can be accepted for ISO 9002 requirements, however, the reverse does not apply.

MIL-STD-105 has been replaced by ANSI/ASQC Z1.4-1993, Sampling Procedure and Tables for Inspection by Attributes.

MIL-STD-45662A has been replaced by either ISO 10012-1, Quality Assurance Requirements for Measuring Equipment or ANSI/NCSL Z540-1, General Requirements for Calibration Laboratories and Measuring Equipment and Test Equipment.
DSCR (MAR 2000)

- E7 52.246-16 RESPONSIBILITY FOR SUPPLIES (APR 1984)
- E14 52.246-9G16 INSPECTION AND ACCEPTANCE POINT DSCR (FEB 1996)

Inspection point: [X] Destination [X] Origin

Acceptance point: [X] Destination [X] Origin

[] Inspection and Acceptance will take place at:

Origin - First Shipment Only
Destination - Subsequent Shipments

SECTION F

- F1BA 52.211-16 VARIATION IN QUANTITY (APR 1984)

(b) The permissible variation shall be limited to:

0 % (Percent) Increase 0 % (Percent) Decrease

This increase or decrease shall apply to the quantity at the line item level, or for phased delivery at the sub-clin level, as designated by item number followed by two alphas, i.e. 0001AA. The variation (if any) shall be shipped with the quantity for the line item, or for phased delivery the quantity specified for each sub-clin. Under no circumstances will the contractor ship a variation in quantity against any line item/sub-clin other than as specified in the delivery schedule.

DSCR NOTE: Any quantity shipped against the line/sub-clin that exceeds the stated line item/sub-clin quantity plus variation (if any) will be returned and the contractor will be responsible for return shipment costs.

F1BB 52.211-17 DELIVERY OF EXCESS QUANTITIES (SEP 1989)

F8 52.211-9G22 DSCR PALLETIZATION FOR MIL-STD-2073 IN ACCORDANCE WITH D001450000 REV C (03290) DSCR (NOV 2003)

F16 52.211-9G50 ORDERING OFFICE AND TIME OF DELIVERY DSCR (NOV 1996)

Delivery orders will be issued by and shall specify date of delivery which will not be less than

	STOCK	DVD
FOB Destination	ATTAC days	N/A days
FOB Origin	N/A days	N/A days

after the order is mailed to or otherwise furnished to the contractor.

F28B 52.242-15 STOP WORK ORDER (AUG 1989)

F28BB 52.242-17 GOVERNMENT DELAY OF WORK (APR 1984)

F31 252.246-7000 MATERIAL INSPECTION AND RECEIVING REPORT DFARS (MAR 2003)

DSCR NOTES:

In addition to the distribution required in DFARS Appendix F, Tables 1 and 2, a copy of the Material Inspection and Receiving Report is required to the following address:

[X] Defense Supply Center, Richmond 1 CY
8000 Jefferson Davis Highway
Directorate of Business Operations
ATTN: Inventory Control Manager
Richmond, VA 23297-5862

[] OTHER: NO. CY(s)

Payment will not be made until a completed Material Inspection and Receiving Report, DD Form 250, is received by the Government. The form shall reflect that a duly authorized Government representative has inspected and accepted the supplies or has otherwise authorized acceptance.

WHEN ORIGIN INSPECTION AND ACCEPTANCE IS SPECIFIED IN THE AWARD, the form shall reflect the signature of a Government Quality Assurance Representative (QAR).

WHEN ORIGIN INSPECTION AND DESTINATION ACCEPTANCE IS SPECIFIED IN THE AWARD, the form shall reflect the signatures of both the Government Quality Assurance Representative and the Government consignee's representative.

WHEN DESTINATION INSPECTION AND ACCEPTANCE IS SPECIFIED IN THE AWARD, the form shall reflect the signature of the Government consignee's representative.

EXCEPTION: If the award is for an Indefinite Delivery Contract citing FAR Clause 52.213-1, Fast Payment Procedure, in Section I, the contractor has the option of including on the invoice the information specified in FAR 52.213-1, paragraph (c)(3), rather than submitting a DD Form 250. This

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
11 66

option applies only to those delivery orders that specify Fast Pay.

When the DD Form 250, Material Inspection and Receiving Report, is submitted via Wide Area Workflow (WAWF-RA), The contractor is still required to provide a copy of The DD Form 250 in the material shipment itself.

DD Forms 250 are available at:
http://web1.whs.osd.mil/icdhome/DDEFORMS.htm.
DSCR (APR 2004)

- F34 52.247-34 F.O.B. DESTINATION (NOV 1991)
- F35 52.247-48 F.O.B. DESTINATION - EVIDENCE OF SHIPMENT (FEB 1999)
- F40 52.247-58 LOADING, BLOCKING AND BRACING OF FREIGHT CAR SHIPMENTS (APR 1984)
- F53 52.247-9G09 F.O.B. DESTINATION - CONTRACTOR TRANSSHIPMENT DSCR (MAR 1998)
- F55 52.247-9G11 MANUFACTURER'S LOADING PRACTICES DSCR (JAN 1996)

SECTION I

- I2 52.202-1 DEFINITIONS (JUL 2004)
- I4 52.203-3 GRATUITIES (APR 1984)
- I5 52.203-5 COVENANT AGAINST CONTINGENT FEES (APR 1984)
- I6 52.203-6 RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT (JUL 1995)
- I7 52.203-7 ANTI-KICKBACK PROCEDURES (JUL 1995)
- I8 52.203-8 CANCELLATION, RESCISSION, AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY (JAN 1997)
- I9 52.203-10 PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY (JAN 1997)
- I9A 52.203-12 LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS (JUN 2003)
- I10 252.203-7001 PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT RELATED FELONIES DFARS (MAR 1999)
- I14B 52.204-4 PRINTED/COPIED DOUBLE-SIDED ON RECYCLED PAPER (AUG 2000)
- I15A 252.204-7003 CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT DFARS (APR 1992)
- I16 252.204-7004 REQUIRED CENTRAL CONTRACTOR REGISTRATION DFARS (NOV 2001)

(d) Offerors and contractors may obtain information on registration and annual confirmation requirements by calling 1-888-227-2423 or via the Internet at http://www.ccr.gov.

DSCR NOTE: For obtaining DUNS refer to 52.204-6 for non-commercial items or 52.212-1 for commercial items.
DSCR (MAY 1998)

- I17 252.205-7000 PROVISION OF INFORMATION TO COOPERATIVE AGREEMENT HOLDERS DFARS (DEC 1991)
 - I26 52.208-9G01 NOTIFICATION TO GOVERNMENT OF CONTEMPLATED PRODUCTION PHASEOUT DSCR (DEC 1997)
 - I31A 52.209-6 PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED OR PROPOSED FOR DEBARMENT (JUL 1995)
 - I32 252.209-7000 ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY (DFARS) (NOV 1995)
 - I32C 252.209-7004 SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY DFARS (MAR 1998)
 - I35 52.211-5 MATERIAL REQUIREMENTS (AUG 2000)
 - I37A 52.211-15 DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS (SEP 1990)
 - I37F 252.211-7005 SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS DFARS (FEB 2003)
- (Offeror insert information for each SPI process)
- SPI Process: _____
- Facility: _____
- Military or Federal Specification or Standard: _____
- Affected Contract Line Item Number, Subline Item Number, Component, or Element: _____
- I38C 52.211-9004 PRIORITY RATING FOR VARIOUS LONG-TERM CONTRACTS DLAD (MAR 2000)
- DSCR NOTE: The DPAS rating will be reflected on the individual delivery order.
DSCR (APR 2001)
- I50 52.215-2 AUDIT AND RECORDS - NEGOTIATION (JUN 1999)
 - I50C 52.215-8 ORDER OF PRECEDENCE (OCT 1997)
 - I66 52.216-18 ORDERING (OCT 1995)
- (a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued --
- FROM: DATE OF AWARD
- THROUGH: 2 YEARS AFTER DATE OF AWARD
- DSCR NOTE: Ordering period above is based upon the assumption that an award will be made by 02/09/2005. The ordering period specified in paragraph (a) above will be extended by the number of calendar days after the assumption date that the contract is, in fact, awarded.
- I67 52.216-19 ORDER LIMITATIONS (OCT 1995)
- (a) Minimum Order. When the Government requires supplies or services covered by this contract in an amount of less than N/A DVD or ATTACH 1 Stock, the Government is not obligated to purchase, nor is the

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
12 66

Contractor obligated to furnish, those supplies or services under the contract.

(b) Maximum Order. The Contractor is not obligated to honor -

- (1) Any order for a single item in excess of N/A DVD or ATTACHMENT Stock
- (2) Any order for a combination of items in excess of , or
- (3) A series of orders from the same ordering office within 30 days that together call for quantities exceeding the limitation in subparagraph (1) or (2) above.

(d) Notwithstanding paragraphs (b) and (c) above, the contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within 7 days after issuance, with written notice stating the contractor's intent not to ship the item (or items) called for and the reasons.

I67A 52.216-19 DSCR NOTE POPS - MINIMUM ORDER QUANTITY DSCR (AUG 1990)

FAR Clause 52.216-19, above, provides for a minimum delivery order amount of \$ SEE ATTACHMENT 1 . Notwithstanding such minimum order amount, the minimum order quantity per delivery order shall be not less than the Quantity Unit Pack (QUP) quantity (manufacturer's standard pack for items without an identified QUP) and all orders will be in multiples of the QUP.

I71 52.216-22 INDEFINITE QUANTITY (OCT 1995)

(d) Any order issued during the effective period of this contract and not completed within that period shall be completed by the Contractor within the time specified in the order. The contract shall govern the Contractor's and Government's rights and obligations with respect to that order to the same extent as if the order were completed during the contract's effective period; provided, that the Contractor shall not be required to make any deliveries under this contract after 730 days from the date of contract expiration.

I88 52.217-9 OPTION TO EXTEND THE TERM OF THE CONTRACT (MAR 2000)

(a) The Government may extend the term of this contract by written notice to the Contractor within 30 days prior to contract expiration; provided, that the Government gives the Contractor a preliminary written notice of its intent to extend at least 90 days before the contract expires.

(c) The total duration of this contract, including the exercise of any options under this clause, shall not exceed 60 months.

I91 52.217-9G08 OPTION TO EXTEND THE TERM OF THE CONTRACT - SUPPLIES DSCR (JUL 2000)

(b) THE OFFEROR AGREES TO FURNISH DURING THE OPTION PERIOD THOSE ITEMS CITED IN THE SCHEDULE AT UNIT PRICES AS INDICATED BELOW:

CAUTION: Failure to indicate one of the following may result in rejection of your offer.

- [] Option unit prices are the same as the unit prices offered for the basic contract, or
- [] Option period unit prices are as indicated in the schedule.

I92K 52.217-9G25 SURGE & SUSTAINMENT REQUIREMENT DSCR (JUN 2001)

(a) Definitions. As used in this clause-

(1) 'Surge and Sustainment (S&S) Capability' means the ability of the contractor and base suppliers to meet

increased quantity/accelerated delivery requirements, using production and supplier base capabilities, in support of a broad spectrum of possible Department of Defense contingencies. This capability includes both the ability to ramp-up to meet early requirements (i.e., surge), as well as to sustain an increased production and delivery pace throughout the contingency(ies) (i.e., sustainment). The spectrum of possible contingencies includes major theatre warfare and smaller-scale contingency operations.

(2) 'Surge and Sustainment (S&S) Quantity' means the quantity beyond peacetime level requirements necessary to support contingency operations. The quantity and required delivery are identified on an NSN basis, representing that needed to support two separate contingency operations for a specified time period, generally a year unless otherwise specified in the schedule.

(b) Scope of Requirement. The Contractor agrees to maintain the capability to produce and deliver the quantity of supplies or services identified in the schedule as the S&S requirement throughout the life of the contract. This capability shall be maintained in addition to peacetime level requirements and other existing Government contracts.

(1) Notification of S&S Capability Changes. Changes that negatively impact S&S capability shall be reported in writing to the Contracting Officer within ten working days after the contractor becomes aware of such impact. Such notification shall include the Contractor's proposed corrective action plan.

(2) Changes and Additions. The Government reserves the right to revise, reassess, or update S&S requirements during the life of the contract.

(3) Agreement to Participate in S&S Validation/Testing. By submission of an offer for the S&S requirement, the contractor agrees to participate in S&S testing as required by the Government to validate the S&S capability. Testing/validation may include, but not be limited to, participation in live exercises, participation in Commander-in-Chiefs or Joint Chiefs of Staff exercises approved in the DLA Joint Training Plan, paper exercises, simulations, or command post exercises. The Government reserves the right to require tests using other methodologies when deemed appropriate.

(c) Ordering. Any S&S designated supplies or services to be furnished under this contract will be ordered in accordance with the ordering clause by issuance of delivery orders or task orders specifically identified as 'S&S Orders.'

(1) Effective Date for S&S Capability. Orders for the S&S quantity may be issued immediately after award unless the contractor has identified during negotiations, and the Government has approved, an alternate date for the contractor to attain the required S&S capability. The contractor's capability assessment shall clearly support the alternate date for attaining full S&S capability.

(2) Limitations. The order limitations clause applicable to the peacetime level requirements shall not apply to the S&S quantity to the extent that it conflicts with the quantity necessary to support a contingency. The Government reserves the right to order less than the total phased quantity specified for each S&S delivery. The Government may order in excess of each phased delivery quantity provided the contractor shall accept the excess quantity. Multiple orders for the same NSN may be issued to support multiple contingencies provided the total quantity ordered does not exceed the total S&S quantity for all phases of delivery.

(3) Contract Ceiling. The Government reserves the right to increase the contract ceiling as necessary to accommodate the S&S quantity to the extent such quantity was not considered when establishing the initial contract ceiling.

(d) Options to Extend the Contract Term: The Government may consider the contractor's performance of the S&S requirements in determining whether exercise of the option is the most advantageous method of meeting the Government's needs. Factors that may be considered include maintenance of the S&S capability; results of validation/testing; performance during an actual contingency; and other pertinent information related to the S&S requirement.

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:

SP0412-04-R-5086

PAGE OF PAGES

13

66

I194	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE (JUN 2003)	I133	52.223-6	DRUG-FREE WORKPLACE (MAY 2001)
I196	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS (MAY 2004)	I134	52.223-14	TOXIC CHEMICAL RELEASE REPORTING (AUG 2003)
I1102	52.219-14	LIMITATIONS ON SUBCONTRACTING (DEC 1996)	I135	252.223-7004	DRUG-FREE WORK FORCE DFARS (SEP 1988)
I118	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES (FEB 1997)	I138	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES (DEC 2003)
I120M	52.222-19	CHILD LABOR - COOPERATION WITH AUTHORITIES AND REMEDIES (JUN 2004)	I139	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM DFARS (APR 2003)
			I140	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS DFARS (APR 2003)
I121	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT (DEC 1996)	I147	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES DFARS (JUN 2004)
I121A	52.222-21	PROHIBITION OF SEGREGATED FACILITIES (FEB 1999)	I147C	252.225-7013	DUTY-FREE ENTRY DFARS (JAN 2004)

(a) 'Segregated facilities,' as used in this clause, means any waiting rooms, work areas, rest rooms and wash rooms, restaurants and other eating areas, time clocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees, that are segregated by explicit directive or are in fact segregated on the basis of race, color, religion, sex, or national origin because of written or oral policies, or employee custom. The term does not include separate or single-user rest rooms and necessary dressing or sleeping areas, provided to assure privacy between the sexes.

(b) The Contractor agrees that it does not and will not maintain or provide for its employees any segregated facilities at any of its establishments, and that it does not and will not permit its employees to perform their services at any location under its control where segregated facilities are maintained. The Contractor agrees that a breach of this clause is a violation of the Equal Opportunity clause in this contract.

(c) The Contractor shall include this clause in every subcontract and purchase order that is subject to the Equal Opportunity clause of this contract.

I122	52.222-26	EQUAL OPPORTUNITY (APR 2002)
I125	52.222-35	EQUAL OPPORTUNITY FOR SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS (DEC 2001)
I126	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES (JUN 1998)
I127	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS (DEC 2001)

DSCR NOTE: Section 8118 of PL 104-208 mandates that all contractors subject to 38 U.S.C. 4212(d) be advised of potential penalties for non-compliance.

Clause mandates annual reporting NLT September 30 to the Department of Labor. Potential penalties resulting from failure to comply may include suspension and debarment from future government contracts.

Contact the VETS-100 Reporting System via e-mail at verify[at]vets100.com with questions concerning Veterans' employment emphasis under Federal contracts.

Contractors can get additional information and/or assistance in completing the VETS-100 form by accessing this Department of Labor website:

<http://www.vets100.cudenver.edu>

DSCR (DEC 2001)

THIS IS A RIGHTS GUARD PROCUREMENT AND THE FOLLOWING RESTRICTIONS APPLY:

(a) Technical data furnished herewith (hereinafter Rights Guard technical data) is proprietary to The Boeing Company which has licensed the Government to use same for the procurement of replenishment spare parts for U.S. Government owned aircraft and for no other purpose. Rights Guard technical data shall not be disclosed, in whole or in part, to any other person or entity other than to supplier's bidder's offeror's employees, having a need to know and who are under an obligation to preserve and protect such data under terms and conditions no less restrictive than those imposed herein, and then only for the purposes if responding to this solicitation or performing any resulting contract.

(b) The suppliers/bidders/offerors hereunder are prohibited from (1) reproducing, in whole or in part, Rights Guard technical data; (2) incorporating any information contained in such Rights Guard technical data into other documentation; or (3) otherwise utilizing such Rights Guard technical data, except for responding to this solicitation or performing any resulting contract. Each supplier/bidder/offeror shall include the authorized DFARS limited rights legend of 252.227-7013, Rights in Technical Data - Noncommercial Items (NOV 1995), identifying the Boeing Company as the owner, on all Rights Guard technical data that is incorporated, in whole or in part, into any technical data delivered by such supplier/bidder/offeror to the Government in response to this solicitation or as part of the performance of any resulting contract. In the case of the limited rights legend, the Contractor shall indicate such Rights Guard technical data as not being subject to an expiration date, if such date is required by the limited rights legend authorized under its contract.

(c) Rights Guard technical data provided by DSCR, including any copies thereof, is to be destroyed according to the following schedule:

1. Immediately upon decision to 'no bid' the solicitation for which the data was received.

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:

SP0412-04-R-5086

PAGE OF PAGES

14 66

2. Within 15 days of being advised your company was not the successful bidder for the solicitation for which the data was requested and received.

3. If the contract awardee, within 15 days of contract completion.

NOTE: The DSCR ANNUAL Certificate of Destruction, DOES NOT IN ANY WAY IMPLY OR PROVIDE AUTHORITY FOR YOUR COMPANY TO RETAIN THE DATA BEYOND THE TIMEFRAMES ESTABLISHED ABOVE. Suspected and actual instances of data retention provided by DSCR beyond these timeframes will be reported to The Boeing Company for remedy. Furthermore, failure to comply with this obligation shall be grounds for your removal from the list of qualified bidders for any other solicitation involving Boeing technical data.

(d) The Government shall have the right to audit supplier's/bidder's/offoror's records to ensure the destruction of Boeing proprietary data.

(e) All suppliers shall comply with MIL-STD-130 for the purpose of distinguishing any spare parts made using Boeing Rights Guard technical data.

- I173 52.227-9G07 GOVERNMENT-FURNISHED MYLAR DSCR (APR 1997)
- I177 52.229-3 FEDERAL, STATE, AND LOCAL TAXES (APR 2003)
- I181 52.229-9000 KENTUCKY SALES AND USE TAX EXEMPTION DLAD (DEC 1984)
- I187 252.231-7000 SUPPLEMENTAL COST PRINCIPLES DFARS (DEC 1991)
- I188 52.232-1 PAYMENTS (APR 1984)
- I189 52.232-8 DISCOUNTS FOR PROMPT PAYMENT (FEB 2002)
- I190 52.232-11 EXTRAS (APR 1984)
- I193 52.232-17 INTEREST (JUN 1996)
- I195 52.232-23 ASSIGNMENT OF CLAIMS (JAN 1986) ALT I (APR 1984)
- I196 52.232-25 PROMPT PAYMENT (OCT 2003)
- I196B 52.232-25 POPS - PROMPT PAYMENT NOTICE DSCR NOTE

The following deviation is applicable to FAR Clause 52.232-25:

Paragraphs (a)(3)(iv) and (v) are deleted and replaced with the following:

(a)(3)(iv) Description, quantity, unit of measure, unit price, and extended price of supplies delivered or services performed. Unit of measure is not required for Electronic commerce (EC/EDI) contract.

(a)(3)(v) Shipping and payment terms (e.g., shipment number and date of shipment, prompt payment discount terms), except for POPS contract. Bill of Lading number and weight of shipment will be shown for shipments on Government bills of lading.

In addition to the above deviation, the following clarification is added to ensure proper payment of invoice:

(a)(3)(iv) The invoice price shall correspond to the unit of issue price specified in the contract. For example, if 12 each (EA) equals 1 box (BX) and the contract specifies EA, but you sell the item by BX, the invoice must be submitted on an EA price basis.

- I196H 52.232-33 PAYMENT BY ELECTRONIC FUNDS TRANSFER-CENTRAL CONTRACTOR REGISTRATION (MAY 1999)

DSCR NOTE: Unless otherwise stated in the remarks

section of this contract/order, the payment information contained in the CCR has precedence over any other payment information that may be contained in the Remittance Address field of this contract/order. DSCR (MAR 2000)

I196W 252.232-7003 ELECTRONIC SUBMISSION OF PAYMENT REQUESTS DFARS (JAN 2004)

(a) Definitions. As used in this clause-

(1) 'Contract financing payment' and 'invoice payment' have the meanings given in section 32.001 of the Federal Acquisition Regulation.

(2) 'Electronic form' means any automated system that transmits information electronically from the initiating system to all affected systems. Facsimile, e-mail, and scanned documents are not acceptable electronic forms for submission of payment requests. However, scanned documents are acceptable when they are part of a submission of a payment request made using one of the electronic forms provided for in paragraph (b) of this clause.

(3) 'Payment request' means any request for contract financing payment or invoice payment submitted by the Contractor under this contract.

(b) Except as provided in paragraph (c) of this clause, the Contractor shall submit payment requests using one of the following electronic forms:

(1) Wide Area WorkFlow-Receipt and Acceptance (WAWF-RA). Information regarding WAWF-RA is available on the Internet at <https://wawf.eb.mil>.

(2) Web Invoicing System (WINS). Information regarding WINS is available on the Internet at <https://ecweb.dfas.mil>.

(3) American National Standards Institute (ANSI) X.12 electronic data interchange (EDI) formats.

(i) Information regarding EDI formats is available on the Internet at <http://www.X12.org>.

(ii) EDI implementation guides are available on the Internet at <http://www.dfas.mil/ecedi>.

(4) Another electronic form authorized by the Contracting Officer.

(c) If the Contractor is unable to submit a payment request in electronic form, or DoD is unable to receive a payment request in electronic form, the Contractor shall submit the payment request using a method mutually agreed to by the Contractor, the Contracting Officer, the contract administration office, and the payment office.

(d) In addition to the requirements of this clause, the Contractor shall meet the requirements of the appropriate payment clauses in this contract when submitting payment requests.

DSCR NOTE:

In regard to electronic invoicing requirements of DFARS Clause 252.232-7003 (Section I), DFAS is currently unable to accept electronic invoices for additive CLINS in the 9900 series, such as First Article, Progress Payments, etc. In instances where additive CLINS are involved, the contractor may invoice for the line items for the supplies through Wide Area WorkFlow-Receipt and Acceptance (WAWF-RA) for faster payment. However, invoices for additive CLINS must be a paper document submitted via mail.

Contractors have the option of preparing and submitting a paper invoice for all contract line items, including additive CLINS. Invoices are to be submitted via mail. DSCR (APR 2004)

- I199 52.233-1 DISPUTES (JUL 2002)

DSCR NOTE:

DSCR has in place a process to mediate two types of contract disputes: (1) contract claims filed pursuant

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
15 66

to the Contract Disputes Act of 1978, as amended, 41 U.S.C. 601-613, (CDA), prior to issuance of a final decision by the contracting officer, that arise as a result of either a contractor or government claim, except for proposed Terminations for Default, and (2) other contract disputes, resulting from an issue in controversy, that the contracting officer determines suitable for mediation. Mediation involves a neutral, called a mediator, who assists both parties as they try to resolve their dispute voluntarily and produce a solution that is acceptable and beneficial to both. After unsuccessful negotiations over an issue in controversy have proven ineffective in either situation, the contracting officer will contact the contractor seeking to resolve the dispute through mediation. In either situation, a contractor's decision not to engage in mediation shall be conveyed in writing to the contracting officer.

Mediation undertaken pursuant to this process does not waive the statutory time limitations of the CDA, within which a contracting officer must issue a final decision on a claim filed pursuant to the CDA, as expressed in FAR Clause 52.233-1, Disputes, paragraph (e). If mediation is unsuccessful, the parties retain their existing rights under the CDA. (99140)

- I200 52.233-3 PROTEST AFTER AWARD (AUG 1996)
- I206 52.242-13 BANKRUPTCY (JUL 1995)
- I208 52.243-1 CHANGES FIXED PRICE (AUG 1987)
- I211 252.243-7001 PRICING OF CONTRACT MODIFICATIONS DFARS (DEC 1991)
- I211A 252.243-7002 REQUESTS FOR EQUITABLE ADJUSTMENT DFARS (MAR 1998)
- I213A 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS (JUL 2004)
- I213D 252.244-7000 SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DOD CONTRACTS) DFARS (MAR 2000)
- I235 52.246-9G05 WARRANTY PPP&M DSCR (APR 2000)
- I237E 52.246-9G33 MISDIRECTED SHIPMENTS DSCR (JAN 1996)
- I240 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA DFARS (MAY 2002)
- I242 52.248-1 VALUE ENGINEERING (FEB 2000)
- I244 52.249-2 TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) (SEP 1996)
- I246 52.249-8 DEFAULT (FIXED-PRICE SUPPLY AND SERVICE) (APR 1984)
- I247 52.249-9000 ADMINISTRATIVE COSTS OF REPROCUREMENT AFTER DEFAULT DLAD (MAY 1988)

The contractor and the Government expressly agree that, in addition to any excess costs of repurchase, as provided in Paragraph (b) of the 'Default' clause of the contract, or any other damages resulting from such default, the contractor shall pay, and the Government shall accept, the sum of \$385 as payment in full for the administrative costs of such repurchase. This assessment of damages for administrative costs shall apply for any termination for default following which the Government repurchases the terminated supplies or services, regardless of whether any other damages are incurred and/or assessed.

- I248 52.252-2 CLAUSES INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates one or more clauses by

reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

Federal Acquisition Regulation (FAR) <http://www.arnet.gov/far>

DoD FAR Supplement (DFARS) <http://www.acq.osd.mil/dp/dars/dfars.html>

DSCR Master Solicitation organized as follows: <http://www.dscr.dla.mil/procurement/mastersol.htm>

- Section 1: Full text of DLA clauses and provisions and DSCR clauses, provisions, and notices.
- Section 2: Full text Quality Assurance Provisions (QAPs)
- Section 3: Shipping/scheduling information for freight shipments destined for stock locations (DSCR Form P41 reference for freight shipments).
- Section 4: Procurement Automated Contract Evaluation (PACE) Instructions
- Section 5: Full text of Contract Data Requirements List (CDRLs)
- Section 6: Special Packaging Instruction (SPIs) Drawings
- Section 7: Full text of Individual Repair Parts Ordering Data (IRPODs)

DLA site with links to all of the above <http://www.procregs.hq.dla.mil/icps.htm>

DSCR NOTE: Where only a portion of text is included in the solicitation/award document in order to provide or collect fill-in data or to append a DSCR note to a FAR/DFARS clause, the text as included in the solicitation/award is not intended to be represented as the full text of the clause.

- I249 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES (APR 1984)

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of '(Deviation)' after the date of the clause.

(b) The use in this solicitation or contract of any Defense FAR Supplement (48 CFR 2) clause with an authorized deviation is indicated by the addition of '(Deviation)' after the name of the regulation.

- I249B 52.253-1 COMPUTER GENERATED FORMS (JAN 1991)

SECTION J

J2 LIST OF DOCUMENTS AND EXHIBITS

This solicitation includes documents, as identified below, that are either physically included in this solicitation package or are available from an electronic web site.

FORM NO/TITLE ATTACHMENT NO

[] DD 346 RAW (BASIC PROCESSED) AND SEMI-FAB STOCK FORM

[] DD 347 BILL OF MATERIAL FOR SUBCONTRACTED PARTS PURCHASED

[] DD 1423 CONTRACT DATA REQUIREMENTS CDRL is available at -- <http://www.dscr.dla.mil/qap/CDRLs.htm>

[] DD 1664 DATA ITEM DESCRIPTION DID is available at -- <http://www.dscr.dla.mil/qap/CDRLs.htm>

[] DD 1949-1 LSAR DATA SEL SHT

[] DD 1949-2 PROV RQMT STATEMENT

[] DD 2345 TECHNICAL DATA AGREEMENT Form is available at -- <http://web1.whs.osd.mil/icdhome/DDEFORMS.htm>

[] DSCR 2375 TECHNICAL MANUAL DISTRBN

[X] DSCR P-41 FREIGHT SHIPPING INFO for shipments destined for a stock location is available in

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
16 66

Section 3 of the DSCR Master Solicitation at --
http://www.dscr.dla.mil/procurement/mastersol.htm

(b) The offeror, by signing its offer, hereby certifies to the best of his or her knowledge and belief that on or after December 23, 1989, --

[] QUALITY ASSURANCE PROVISION

[] TECHNICAL DATA
TECHNICAL DATA is available at --
http://www.dscr.dla.mil/tdmd

[] OTHER:

(1) No Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress on his or her behalf in connection with the awarding of any Federal contract, the making of any Federal Grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment or modification of any Federal contract, grant, loan, or cooperative agreement;

(2) If any funds other than Federal appropriated funds (including profit or fee received under a covered Federal transaction) have been paid, or will be paid, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress on his or her behalf in connection with this solicitation, the offeror shall complete and submit, with its offer, OMB standard form LLL, Disclosure of Lobbying Activities, to the Contracting Officer; and

(3) He or she will include the language of this certification in all subcontract awards at any tier and require that all recipients of subcontract awards in excess of \$100,000 shall certify and disclose accordingly.

SECTION K

K2 52.203-2 CERTIFICATE OF INDEPENDENT PRICE DETERMINATION (APR 1985)

(a) The offeror certifies that:

(1) The prices in this offer have been arrived at independently, without, for the purpose of restricting competition, any consultation, communication, or agreement with any other offeror or competitor relating to (i) those prices, (ii) the intention to submit an offer, or (iii) the methods or factors used to calculate prices offered.

(2) The prices in this offer have not been and will not be knowingly disclosed by the offeror, directly or indirectly, to any other offeror or competitor before bid opening (in case of a sealed bid solicitation) or contract award (in the case of a negotiated solicitation) unless otherwise required by law; and

(3) No attempt has been made or will be made by the offeror to induce any other concern to submit or not to submit an offer for the purpose of restricting competition.

(b) Each signature on the offer is considered to be a certification by signatory that the signatory --

(1) Is the person in the offeror's organization responsible for determining the prices being offered in this bid or proposal, and that the signatory has not participated and will not participate in any action contrary to Subparagraphs (a) (1) through (a) (3) above; or

(2) (i) has been authorized, in writing, to act as agent for the following principals in certifying that those principals have not participated, and will not participate in any action contrary to Subparagraphs (a) (1) through (a) (3) above . . .

(Insert below the full name of person(s) in the offeror's organization responsible for determining the prices offered in this bid or proposal, and the title of his or her position in the offeror's organization);

NAME: _____

TITLE: _____

(ii) As an authorized agent, does certify that the principals named in Subdivision (b) (2) (1) above have not participated, and will not participate, in any action contrary to Subparagraphs (a) (1) through (a) (3) above; and

(iii) As an agent, has not personally participated, and will not participate in any action contrary to Subparagraphs (a) (1) through (a) (3) above.

(c) If the offer deletes or modifies Subparagraph (b) (2) above, the offeror must furnish with its offer a signed statement setting forth in detail the circumstances of the disclosure.

K4A 52.203-11 CERTIFICATION AND DISCLOSURE REGARDING PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS (APR 1991)

(a) The definitions and prohibitions contained in the clause, at FAR 52.203-12, Limitation on Payments to Influence Certain Federal Transactions, included in this solicitation, are hereby incorporated by reference in paragraph (b) of this certification.

(c) Submission of this certification and disclosure is a prerequisite for making or entering into this contract imposed by section 1352, title 31, United States Code. Any person who makes an expenditure prohibited under this provision or who fails to file or amend the disclosure form to be filed or amended by this provision, shall be subject to a civil penalty of not less than \$10,000, and not more than \$100,000, for each such failure.

K6 52.207-4 ECONOMIC PURCHASE QUANTITY - SUPPLIES (AUG 1987)

(a) Offerors are invited to state an opinion on whether the quantity(ies) of supplies on which bids, proposals, or quotes are requested in this solicitation is (are) economically advantageous to the Government.

(b) Each offeror who believes that acquisition in different quantities would be more advantageous is invited to recommend an economic purchase quantity. If different quantities are recommended, a total and a unit price must be quoted for applicable items. An economic purchase quantity is that quantity at which a significant price break occurs. If there are significant price breaks at different quantity points, this information is desired as well.

OFFEROR RECOMMENDATIONS

ITEM	QUANTITY	PRICE QUOTATION	TOTAL
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

(c) The information requested in this provision is being solicited to avoid acquisitions in disadvantageous quantities and to assist the Government in developing a data base for future acquisitions of these items. However, the Government reserves the right to amend or cancel the solicitation and resolicit with respect to any individual item in the event quotations received and the Government's requirements indicate that different quantities should be acquired.

K7A 52.209-5 CERTIFICATION REGARDING DEBARMENT, SUSPENSION, PROPOSED DEBARMENT, AND OTHER RESPONSIBILITY MATTERS (DEC 2001)

(a) (1) The offeror certifies, to the best of its knowledge and belief, that -

(i) The offeror and/or any of its principals -

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:

SP0412-04-R-5086

PAGE OF PAGES

17

66

(A) are [] are not [] presently debarred, suspended, proposed for debarment, or declared ineligible for the award of contracts by any Federal agency;

(B) have [] have not [], within a three-year period preceding this offer, been convicted of or had a civil judgment rendered against them for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, state, or local) contract or subcontract; violation of Federal or state antitrust statutes relating to the submission of offers; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, tax evasion, or receiving stolen property; and

(C) are [] are not [] presently indicted for, or otherwise criminally or civilly charged by a Governmental entity with, commission of any of the offenses enumerated in Subdivision (a)(1)(i)(D) of this provision.

(ii) The offeror, has [] has not [], within a three-year period preceding this offer, had one or more contracts terminated for default by any Federal agency.

K8 252.209-7001 DISCLOSURE OF OWNERSHIP OR CONTROL BY THE GOVERNMENT OF A TERRORIST COUNTRY DFARS (MAR 1998)

K13A 52.215-6 PLACE OF PERFORMANCE (OCT 1997)

(a) The offeror or respondent, in the performance of any contract resulting from this solicitation,

[] intends, [] does not intend

(check applicable block) to use one or more plants or facilities located at a different address from the address of the offeror or respondent as indicated in this proposal or response to request for information.

(b) If the offeror or respondent checks 'intends' in paragraph (a) of this provision, it shall insert in the following spaces the required information:

PLACE OF PERFORMANCE: (STREET ADDRESS, CITY, COUNTY, STATE ZIP CODE)

NAME AND ADDRESS OF OWNER AND OPERATOR OF THE PLANT OR FACILITY IF OTHER THAN OFFEROR OR QUOTER.

K16A 52.219-1 SMALL BUSINESS PROGRAM REPRESENTATIONS (MAY 2004) ALT I (APR 2002)

(a) (1) The North American Industry Classification System (NAICS) code for this acquisition is 336413.

(2) The small business size standard is 1000

(3) The size standard for non-manufacturers is 500 employees.

(b) Representations.

(1) The offeror represents as part of its offer that it [] is, [] is not a small business concern.

(2) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, for general statistical purposes, that it [] is, [] is not a small disadvantaged business concern as defined in 13 CFR

124.1002.

(3) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it [] is, [] is not a women-owned small business concern.

(4) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it [] is, [] is not a veteran-owned small business concern.

(5) (Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.) The offeror represents as part of its offer that it [] is, [] is not a service-disabled veteran-owned small business concern.

(6) (Complete only if offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, as part of its offer, that--

(i) It [] is, [] is not a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal place of ownership, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and

(ii) It [] is, [] is not a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate for the HUBZone small business concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture: _____.] Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.

(7) (Complete when acquisition value is estimated at greater than \$25,000 and offeror represented itself as disadvantaged in paragraph (b)(2) of this provision). The offeror shall check the category in which its ownership falls:

[] Black American.

[] Hispanic American.

[] Native American (American Indians, Eskimos, Aleuts, or Native Hawaiians).

[] Asian-Pacific American.

[] Subcontinent Asian (Asian-Indian), American.

[] Individual/concern, other than one of the preceding.

K23 52.222-22 PREVIOUS CONTRACTS AND COMPLIANCE REPORTS (FEB 1999)

The offeror represents that --

(a) It [] has, [] has not participated in a previous contract or subcontract subject to the Equal Opportunity Clause of this solicitation;

(b) It [] has, [] has not filed all required compliance reports

K24 52.222-25 AFFIRMATIVE ACTION COMPLIANCE (APR 1984)

The offeror represents that--

(a) It [] has developed and has on file,

[] has not developed and does not have on file,

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:

SP0412-04-R-5086

PAGE OF PAGES

18

66

at each establishment, Affirmative Action Programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-2), or

[] Does not anticipate that supplies will be transported by sea in the performance of any contract or subcontract resulting from this solicitation.

(b) It [] has not previously had contracts subject to the written Affirmative Action Programs requirement of the rules and regulations of the Secretary of Labor.

K38 52.247-9G17 PRODUCTION FACILITIES DSCR (AUG 2000)

Offeror must provide shipping and inspection locations for the supplies. Each location will be provided in the appropriate paragraph below. DO NOT put all location information into one paragraph.

K24E 52.222-38 COMPLIANCE WITH VETERANS' EMPLOYMENT REPORTING REQUIREMENTS (DEC 2001)

(a) SHIPPING LOCATION: Insert below the location where supplies will be delivered to, or picked-up by, the freight carrier, post office, or small parcel carrier, for final shipment to the consignee.

K27C 52.223-13 CERTIFICATION OF TOXIC CHEMICAL RELEASE REPORTING (AUG 2003)

(CHECK EACH BLOCK THAT IS APPLICABLE.)

ADDRESS (STREET, CITY, PHONE ITEM NUMBER PLANT NAME COUNTY, STATE, ZIP CODE) NUMBER

[] (i) The facility does not manufacture, process or otherwise use any toxic chemicals listed in 40 CFR 372.65;

[] (ii) The facility does not have 10 or more fulltime employees as specified in section 313(b)(1)(A) of EPCRA, 42 U.S.C. 11023(b)(1)(A);

[] (iii) The facility does not meet the reporting thresholds of toxic chemicals established under section 313(f) of EPCRA, 42 U.S.C. 11023(f) (including the alternate thresholds at 40 CFR 372.27, provided an appropriate certification form has been filed with EPA);

(b) LOCATION WHERE THE END ITEMS WILL BE INSPECTED: Insert below the location where the end items (not the packaging) will be inspected.

ADDRESS (STREET, CITY, PHONE ITEM NUMBER PLANT NAME COUNTY, STATE, ZIP CODE) NUMBER

[] (iv) The facility does not fall within the following Standard Industrial Classification (SIC) codes or their corresponding North American Industry Classification System sectors;

- (A) Major group code 10 (except 1011, 1081, and 1094). (B) Major group code 12 (except 1241). (C) Major Group codes 20 through 39. (D) Industry code 4911, 4931, 4939

(c) LOCATION WHERE PACKAGING/PACKING WILL BE INSPECTED: Insert below the location where the packaging/packing will be inspected.

ADDRESS (STREET, CITY, PHONE ITEM NUMBER PLANT NAME COUNTY, STATE, ZIP CODE) NUMBER

(limited to facilities that combust coal or/oil for the purpose of generating power for distribution in commerce). (E) Industry code 4953 (limited to facilities regulated under the Resource Conservation and Recovery Act, Subtitle C (42 U.S.C. 6921, et seq.), or 5169, or 5171, or 7389 (limited to Facilities primarily engaged in solvent recovery services on a Contract or fee basis); or

[] (v) The facility is not located in the United States or its outlying areas.

K29 252.225-7000 BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM CERTIFICATE DFARS (APR 2003)

(c)(2) The offeror certifies that the following end products are qualifying country end products:

SECTION L

L1 52.204-6 DATA UNIVERSAL NUMBERING SYSTEM (DUNS) NUMBER (JUN 1999)

DSCR NOTE:

(a) The Offeror is required to provide their Data Universal Numbering System (DUNS) Number or (DUNS+4) Number used for verification of registration in the DoD Central Contractor Registration (CCR) database in compliance with the Debt Collection Improvement Act of 1996 (31 U.S.C. 3332; 31 U.S.C. 7701).

DUNS Number: _____

(b) DUNS Number may be obtained through the CCR process (refer to DFARS 252.204-7004, Required Central Contractor Registration (Sec I) or directly from Dun and Bradstreet. DSCR (DEC 2000)

L8A 52.209-9G08 ACCESS TO CONTROLLED TECHNICAL DATA DSCR (OCT 1999)

(b) If offeror is approved, cite the Defense Logistics Information Service (DLIS) assigned approval number below:

APPROVAL NO _____

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
19 66

ISSUE DATE OF APPROVAL

(d) Offerors who are not currently approved who wish to be included on the DoD Certified Contractor Access List should complete the DD Form 2345 'Militarily Critical Technical Data Agreement'. The DD Form 2345 may be obtained via the Internet at <http://web1.whs.osd.mil/icdhome/DDEFORMS.htm>. Instructions for completion and submission are provided as the second page of the on-line form. Completed forms should be returned to:

United States/Canada Joint Certification Office
Defense Logistics Information Service
Federal Center, 74 Washington Ave., North
Battle Creek, MI 49017-3084

L10C 52.211-14 NOTICE OF PRIORITY RATING FOR NATIONAL DEFENSE USE (SEP 1990)

[] DX Rated Order; [X] DO Rated Order

L12 252.211-7001 AVAILABILITY OF SPECIFICATIONS AND STANDARDS NOT LISTED IN DODISS, DATA ITEM DESCRIPTIONS NOT LISTED IN DOD 5010.12-L, AND PLANS, DRAWINGS, AND OTHER PERTINENT DOCUMENTS DFARS (DEC 1991)

DSCR NOTE:

Obtain documents and/or submit requests via the Technical Data Management (TDM) WEBSITE <http://www.dscr.dla.mil/tcmd>. If the WEBSITE server is down as a result of an overall sytem failure, you may mail the request to:

Defense Supply Center Richmond
8000 Jefferson Davis Highway
ATTN: DSCR-VABA
Richmond, VA 23297-5604

Include the 13 position National Stock Number, solicitation number, and the title and number of the specification, standard, plan, drawing, or other pertinent document.

Compact disk drawings will be furnished. Aperture cards and hard copies will only be provided when there are no electronic formats available.

Written requests require a minimum seven (7) day processing time from receipt to mailing of the requested document. WEBSITE requests are handled in a real-time environment. Information can be downloaded or, for compact disk requests, mailed to you in as little as two to three days. Request documents sufficiently prior to solicitation closing date so as to permit timely submission of an offer. Keep in mind the Postal Service delivery time. In urgent cases, telephone requests may be made by calling (804) 279-3356 (alternate numbers are 4174, 6129, or 3547) or sending a FAX to (804) 279-4946.

REQUESTS FOR SPECIFICATIONS AND/OR STANDARDS AS REFERENCED IN DSCR PROVISION 52.211-9G13 (SEC L) WILL NOT BE PROCESSED BY DSCR.

DSCR (OCT 2000)

L12G 52.211-9009 NON-ACCEPTABILITY OF GOVERNMENT SURPLUS MATERIAL DLAD (APR 2002)

(a) Definition.

'Surplus material,' as used in this clause, means new, unused material that was purchased and accepted by the U.S. Government and subsequently sold by the Defense Reutilization and Marketing Service (DRMS), by contractors authorized by DRMS, or through another Federal Government surplus program. The terms 'surplus' and 'Government surplus' are used interchangeably in this clause.

(b) The Government has determined that offers of surplus material will not be considered for this acquisition.

L13 52.211-9G11 COMPLIANCE WITH SPECIFICATIONS DSCR (FEB 1996)

L15 52.211-9G13 AVAILABILITY OF SPECIFICATIONS OR STANDARDS DSCR (DEC 2003)

L37B 52.214-34 SUBMISSION OF OFFERS IN THE ENGLISH LANGUAGE (APR 1991)

L37C 52.214-35 SUBMISSION OF OFFERS IN U.S. CURRENCY (APR 1991)

L39E 52.215-1 INSTRUCTIONS TO OFFERORS - COMPETITIVE ACQUISITION (MAY 2001)

DSCR NOTES FOR FAR CLAUSE 52.215-1

In accordance with paragraph (b), the offeror hereby acknowledges receipt of solicitation amendment(s) by listing the amendment number and date below.

AMENDMENT NO.	DATE	AMENDMENT NO.	DATE
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Contractors are reminded of the requirements of paragraph (c)(1). The Government will automatically reject and will not consider any submission marked or that appears to be only a quote, whether submitted electronically or in paper media.

DSCR (OCT 2001)

L40A 52.215-5 FACSIMILE PROPOSALS (OCT 1997)

(c) Facsimile receiving data and compatibility characteristics are as follows:

Telephone number of receiving facsimile equipment:

(804) 279-4165

L53 52.216-1 TYPE OF CONTRACT (APR 1984)

The Government contemplates award of a

[X] FIRM FIXED PRICE

[] FIXED PRICE/ECONOMIC PRICE ADJUSTMENT

[] FIXED PRICE/PRICE REDETERMINATION

contract resulting from this solicitation.

L59DA 52.217-9G26 SURGE & SUSTAINMENT CAPABILITY ASSESSMENT DSCR (JUNE 2001)

(a) Proposals submitted in response to this solicitation shall include a proposed approach to meeting the Surge & Sustainment (S&S) requirement identified in the schedule. The proposed approach shall include the initial ramp up (surge) and subsequent production and delivery (sustainment) of supplies to support simultaneous contingencies. The contractor's proposed approach shall be supported by a production capability assessment, as an attachment to the proposal, containing, but not limited to, the following areas:

(1) The contractor's methodology enabling visibility of supplier base resources on a continuing basis.

(2) Identify supplier base inventories, production capability, on-demand manufacturing and advanced technology capabilities, or any other means of support available to

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:

SP0412-04-R-5086

PAGE OF PAGES

20

66

meet S&S requirements and, based on this identification, a description of S&S strategies for all items.

(3) Identify 'problem' items for which S&S cannot be easily met, proposed solutions for these items, and any significant investments (dollars or otherwise) needed to implement these solutions, including investments by the Government.

(4) Describe access to, and plans for, coordinating distribution and transportation services for meeting S&S requirements.

(5) The contractor's agreements with suppliers and service providers that reflect access to S&S resources.

(6) Clearly identify any significant investments (dollars or otherwise) required to resolve the problem areas identified under subparagraph (3), or other subparagraphs above, needed to develop S&S capability, including, but not limited to, the following information:

- (i) Why the investment is needed;
- (ii) what will be purchased with the investment;
- (iii) basis for the investment cost;
- (iv) the S&S capability to be gained from the investment; and,
- (v) for investments needed to affect strategies, an analysis of what strategies were considered and why the proposed strategies are the most cost effective.

(7) If the S&S requirements can be easily met with current levels of production, the following information may be provided in lieu of the detailed assessment requested above:

- (i) The contractor's rationale for concluding the required S&S resources are readily available; and,
- (ii) the contractor's ability to meet the S&S requirements through access to these resources.

(Note: The commercial nature of an item, in and of itself, is not an adequate rationale for concluding the item is readily available. The information submitted shall include a description of access to, and plans for, coordinating distribution and transportation services for meeting S&S requirements.)

L59G 52.219-9001 SET-ASIDES OF ACQUISITIONS OF ITEMS LISTED IN THE SCHEDULE OF PRODUCTS MADE IN FEDERAL PENAL AND CORRECTIONAL INSTITUTIONS DLAD (JUN 2002)

For items listed on the Schedule of Products made in Federal Penal and Correctional Institutions, when a comparability determination leads to a competitive acquisition, set-asides may be used. However, notwithstanding the inclusion of any set-aside provision or clause in this solicitation, FPI shall also be permitted to compete for, and could receive award of, the acquisition.

L75 52.233-2 SERVICE OF PROTEST (AUG 1996)

(a) Protests, as defined in Section 33.101 of the Federal Acquisition Regulation, that are filed directly with an agency, and copies of any protests that are filed with the General Accounting Office (GAO), shall be served on the --

Contracting Officer
 Defense Supply Center Richmond
 ATTN: DSCR-JKDD
 8000 Jefferson Davis Highway
 Richmond, VA 23297-

by obtaining written and dated acknowledgment of receipt from the issuing office referenced on the solicitation/award.

L75B 52.233-9000 AGENCY PROTESTS DLAD (SEP 1999)

Companies protesting this procurement may file a protest

1. with the contracting officer,
2. with the General Accounting Office, or
3. pursuant to Executive Order No. 12979, with the Agency for a decision by the Activity's Chief of the Contracting Office.

Protests filed with the agency should clearly state that they are an 'Agency Level Protests filed under Executive Order No. 12979.' (Note: DLA procedures for Agency Level Protests filed under Executive Order No. 12979 allow for a higher level decision on the initial protest than would occur with a protest to the contracting officer; this process is not an appellate review of a contracting officer's decision on a protest previously filed with the contracting officer). Absent a clear indication of the intent to file an agency level protest, protests will be presumed to be protests to the contracting officer.

DSCR NOTE:

Executive Order 12979 encourages the use of Alternative Dispute Resolution in resolving Agency-level protests. Therefore, DSCR has in place a process to mediate Agency-level protests filed pursuant to Executive Order 12979. Mediation is a voluntary process where the parties meet with a third party neutral (the mediator) to discuss their positions and open a dialogue. The mediator does not make any decisions on the dispute, but rather helps the parties explore their concerns and possible avenues for solutions. Any mediation will occur at DSCR. A trained DSCR mediator who has not had previous personal involvement in the procurement will conduct the mediation. If resolution of the protest is not reached through the mediation process, the protest will be forwarded to the Chief of the Contracting Office for a written decision on the record. If an offeror wishes to file an Agency-level protest, but does not wish to engage in a mediation, the Agency-level protest should state that the protesting party does not wish to participate in a mediation and would like a decision on the written record.

L75BC 52.233-9001 DISPUTES: AGREEMENT TO USE ALTERNATIVE DISPUTE RESOLUTION DLAD (JUN 2001)

(a) The parties agree to negotiate with each other to try to resolve any disputes that may arise. If unassisted negotiations are unsuccessful, the parties will use alternative dispute resolution (ADR) techniques to try to resolve the dispute. Litigation will only be considered as a last resort when ADR is unsuccessful or has been documented by the party rejecting ADR to be inappropriate for resolving the dispute.

(b) Before either party determines ADR inappropriate, that party must discuss the use of ADR with the other party. The documentation rejecting ADR must be signed by an official authorized to bind the contractor (see FAR 52.233-1), or, for the Agency, by the contracting officer, and approved at a level above the contracting officer after consultation with the ADR Specialist and with legal counsel (see DLA Directive 5145.1). Contractor personnel are also encouraged to include the ADR Specialist in their discussions with the contracting officer before determining ADR to be inappropriate.

(c) If you wish to opt out of this clause, check here (____). Alternate wording may be negotiated with the contracting officer.

L82 52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a

CONTINUED ON NEXT PAGE

solicitation provision may be accessed electronically at this/these address(es):

Federal Acquisition Regulation (FAR) <http://www.arnet.gov/far>

DoD FAR Supplement (DFARS) <http://www.acq.osd.mil/dp/dars/dfars.html>

DSCR Master Solicitation organized as follows: <http://www.dscr.dla.mil/procurement/mastersol.htm>

- Section 1: Full text of DLA clauses and provisions and DSCR clauses, provisions, and notices.
 Section 2: Full text Quality Assurance Provisions (QAPs)
 Section 3: Shipping/scheduling information for freight shipments destined for stock locations (DSCR Form P41 reference for freight shipments).
 Section 4: Procurement Automated Contract Evaluation (PACE) Instructions
 Section 5: Full text of Contract Data Requirements List (CDRLs)
 Section 6: Special Packaging Instruction (SPIs) Drawings
 Section 7: Full text of Individual Repair Parts Ordering Data (IRPODs)

DLA site with links to all of the above <http://www.procregs.hq.dla.mil/icps.htm>

DSCR NOTE: Where only a portion of text is included in the solicitation document in order to provide or collect fill-in data or to append a DSCR note to a FAR/DFARS provision, the text as included in the solicitation is not intended to be represented as the full text of the provision.

L83 52.252-5 AUTHORIZED DEVIATIONS IN PROVISIONS (APR 1984)

(a) The use in this solicitation of any Federal Acquisition Regulation (48 CFR Chapter 1) provision with an Authorized deviation is indicated by the addition of '(Deviation)' after the date of the provision.

(b) The use in this solicitation of any Defense FAR Supplement (48 CFR chapter 2) provision with an authorized deviation is indicated by the addition of '(Deviation)' after the name of the regulation.

SECTION M

- M5 52.213-9001 EVALUATION FACTOR FOR SOURCE INSPECTION DLAD (MAR 2004)**
- M8 52.214-9002 TRADE DISCOUNTS DLAD (JUN 1983)**
- M10F 52.215-9005 AUTOMATED BEST VALUE SYSTEM DSCR (JUL 2002)**

(a) The Automated Best Value System (ABVS) Score as an Element of Past Performance Evaluation.

(1) ABVS scores do not determine eligibility for award or technical acceptability. The Government shall use ABVS scores to compare past performance among offerors, not to make determinations of responsibility.

(2) To evaluate each offeror's past performance, DLA will assign an ABVS score to each offeror based on the offeror's past performance. ABVS scores for performance in each Federal Supply Class (FSC score) will be based on DLA consolidated performance history. An offeror may have multiple FSC scores but will have only one DLA score, which is a compilation of the offeror's FSC scores for all business conducted with DLA. These scores will be calculated monthly and remain in effect for a month. The ABVS score is a combination of an offeror's delivery and quality scores. The quality score reflects validated contractor caused product and packaging nonconformances during the rating period. For administrative purposes, the rating period excludes the most recent 30 days. The delivery score reflects all lines shown as delinquent during the rating period. For administrative purposes, the rating period excludes the most recent 60 days. For ABVS purposes, delinquent lines represent shipments not shipped and/or received in their entirety by the contract delivery date. The 30 and 60 day offset periods are NOT grace periods.

(3) Business Systems Modernization.

(i) The Defense Logistics Agency is developing and installing a new suite of commercial business software we call Business Systems Modernization (BSM). BSM will replace the old material management systems with the best of today's business applications. The first phase of BSM that will affect both DLA and our business partners is called the Concept Demonstration. This Concept Demonstration will use actual BSM software, real time data and actual transactions such as solicitations and awards. But because of the new software being tested, certain processes will change during the test and one of the most important is the change in ABVS. The collection of past performance information for certain NSNs in ABVS has been changed by the new software and will be affected by this Concept Demonstration beginning in August 2002.

(ii) Beginning in August 2002, ABVS will not collect performance information on NSNs that are included in this BSM test. The performance data for quality and delivery performance from new contract awards for these NSNs will not be used in the calculation of FSC scores. The contract line items will also not be included in the total number of contract line items on which the FSC score is based. Subsequently, the DLA score, which is a compilation of the FSC scores, will not include performance data from new awards on these NSNs. For NSNs, which are not in the BSM test, ABVS will continue to work as it does today.

(iii) In order to determine if a NSN or FSC is included in this BSM test, go to the BSM Supplier Information Resource Center, <http://www.dla.mil/j-6/bsm/SIRC/SIRC.htm>. Awards not included in the ABVS performance data will be identified by contract numbers beginning with SPMXXX or SPEXXX in lieu of SPOXXX (this does not apply to orders issued against non-DLA Basic Ordering Agreements or contracts).

(iv) This change also means that your ABVS score in BSM will be your DLA score only; the FSC score will not be visible. This initial release will provide an opportunity for DLA, our customers, and our suppliers to use the new technology and processes to improve our supply chain effectiveness. Further information is found at the BSM Vendor Information Center at <http://131.70.202.70/j%2D6/bsm/test/vic.htm>.

(4) DSCR will make negative quality and delivery data reflected in the ABVS score available to offerors by the 15th day of the month via the ABVS Website. The offeror's negative performance data will be posted before it is reflected in the ABVS score (Preview Period), to give offerors an opportunity to review and verify data. An offeror must challenge any negative data within the Preview Period to assure corrections are posted before calculation of the score. Offerors must submit challenges and substantiating evidence (e.g. invoices, DD Form 250s, modifications) to the ABVS Administrator. The 'Center' field will identify the appropriate focal point. For those identified as 'DSCR,' send challenges to:

Defense Supply Center Richmond
 Attn: DSCR-OZP (ABVS)
 8000 Jefferson-Davis Highway
 Richmond, VA 23297-5516

Telephone (804) 279-6881
 FAX (804) 279-5042

(5) Though offerors may challenge negative data at any time, it is to the offeror's advantage to challenge negative data during the Preview Period before it has an opportunity to be reflected in the ABVS score. Accordingly, an offeror should review performance data on a monthly basis at a minimum. When a challenge is received, the ABVS score will be flagged. The flag will remain until the challenge is resolved. If an offer under evaluation involves a challenged score, then the Contracting Officer will consider the nature of the challenged data and its relevance to the acquisition as part of the award decision. The ABVS Administrator will adjust the ABVS score if the Administrator upholds an offeror's challenge. Scores created in the update cycle immediately following the determination will reflect the adjustment.

(6) When there is a discrepancy between the offeror's challenged data and the Government's data, it becomes disputed data. The Government will make every effort to resolve the discrepancy expeditiously. However, the Government is the final authority for resolution of

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
22 66

disputed data and its use in the source selection process, and may make an award decision despite the existence of an unresolved challenge.

(b) Using the ABVS score for evaluation.

(1) The contracting officer will first evaluate offers using the FSC score for the solicited FSC in effect at the time offers are evaluated. The contracting officer will use an offeror's DLA score to evaluate an offeror without an FSC score for that particular FSC. The contracting officer may consider the volume of business on which the FSC score is based as a measure of confidence in the score's indication of performance risk. The contracting officer may choose to use the DLA score if he or she lacks confidence in the FSC score. The contracting officer also may use the DLA score if the FSC scores among offerors are relatively equal. An offeror with no performance history will not be evaluated favorably or unfavorably and will be assigned a '999.9' in the ABVS. A '999.9' is used to designate those instances wherein the offeror has no past performance history, has no history for the particular FSC or has no history for the timeframe being rated.

(2) Contractor caused discrepancies or delinquencies will be reflected in the ABVS as an indicator of past performance. Repair, replacement or reimbursement of quality and packaging defects will not provide relief of negative ABVS data. Contractor caused delivery extensions, regardless of consideration paid, will be reflected in the delivery score.

M10G 52.215-9G06 EVALUATION AND AWARD
DSCR (FEB 2000)

(a) AWARD. The Government intends to evaluate proposals and, if necessary, conduct discussions with all responsible offerors within the competitive range. The award will be made to the offeror whose proposal conforms to the terms and conditions of the solicitation and represents the best value to the Government. Therefore, award may be made to other than the lowest priced or the highest technically rated offer.

(b) RELATIVE IMPORTANCE AND TRADE-OFFS. The Government will base the determination of best value on a comparative assessment of the offerors' prices, past performance, and the other evaluation factors identified elsewhere in this solicitation. The determination of best value also considers the relative importance of the evaluation factors. All evaluation factors, when combined, are:

- significantly more important than cost or price. As other evaluation factors become more equal, the evaluated cost or price becomes more important.
- approximately equal to cost or price; or
- significantly less important than cost or price. As the evaluated cost/price becomes more equal, relative importance of all other evaluation factors becomes more significant.

The final award decision may involve a trade-off among cost or price and the non-price factors. Factors that may be considered in the trade-off process include, but are not limited to:

Item criticality and weapons system application
Delivery schedule and current inventory status
Historical delivery or quality problems
Concerns over limited supply sources and industrial base
Benefits from obtaining new sources

(c) COST OR PRICE. The Government will evaluate the offered cost or price for cost realism, as defined in FAR 15.401, and reasonableness. The Government will add any other cost or price evaluation factors identified elsewhere in this solicitation (e.g. Buy American Act or FOB Origin transportation costs) to arrive at the offeror's evaluated cost or price. The evaluated cost or price will be used in conjunction with the other non-price factors to determine the best value to the Government.

(d) PAST PERFORMANCE EVALUATION FACTORS. The Government will use the past performance evaluation factors marked below in addition to cost or price and other

evaluation factors specified in the solicitation. Unless indicated otherwise, past performance is significantly more important than other non-price factors. Within the past performance subfactors, ABVS scores will be weighed most heavily because of their relevance to DSCR awards. Quality history and delivery schedule compliance will be weighed more heavily than the remaining past performance subfactors. All other non-price evaluation factors specified in this solicitation weigh equally, unless otherwise indicated.

- ABVS Score (52.215-9G05)
- Quality History
- Delivery Schedule Compliance
- Javits-Wagner-O'Day (JWOD) (52.215-9005)
- Mentoring Business Agreements (MBA) (52.219-9003)
- Socioeconomic Support (52.215-9003)
- Other (specify):

(e) PAST PERFORMANCE. Past performance includes, but is not limited to, the offeror's record of conforming to contract requirements and standards of good workmanship; adherence to contract schedules, including the administrative aspects of performance; the offeror's reputation for reasonable and cooperative behavior and commitment to customer satisfaction; and generally, the offeror's business-like concern for the customer's interest.

(i) Offerors may submit with their offer information on past and current Federal (non-DSCR), State and local government and private sector contracts performed by the offeror at the proposed performance location within the last three years that are similar in nature to this acquisition. Offerors electing to submit this data must furnish at least the following information: name and address of the contracting entity; the contract number; award and completion dates; the dollar value; the contract type; the items or services provided; two references, with title and phone number; and any problems encountered and the corrective action taken by the offeror.

(ii) By submitting past performance information, the offeror agrees to permit the Government's representatives to contact the listed references and inquire of the offeror's performance. If more than three contracts are identified, the Government reserves the right to randomly select and limit its review to three contracts. In addition to the information provided, the Government may consider information obtained from other sources when evaluating the offeror's past performance. Offerors will be given the opportunity to discuss negative past performance information obtained from references if the offeror has not had a previous opportunity to comment on that information.

(iii) In addition to the information above, DSCR will use the Automated Best Value System (ABVS) to evaluate quality and past performance on DLA awards (see 52.215-9G05).

(iv) Offerors with no past performance history (whether internal or external to the Federal government) will not be evaluated favorably or unfavorably.

M12 52.216-9G09 EVALUATION - INDEFINITE QUANTITY
CONTRACT DSCR (NOV 1996)

Offers will be evaluated on the basis of the estimated annual quantity. If quantity breaks are offered with various prices, the highest price offered will be used for evaluation.

If line items for both stock and DVD are included in the schedule offers will be evaluated based on the total extended price for the stock and DVD line items.

M15 52.217-5 EVALUATION OF OPTIONS
(JUL 1990)

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Solicitation Number:
SP0412-04-R-5086

PAGE OF PAGES
23 66

M18 52.217-9G11 EVALUATION OF OPTION TO EXTEND THE TERM OF THE CONTRACT - SUPPLIES DSCR (JAN 1996)

The evaluation of options to extend the term of the contract as required by either FAR Clause 52.217-5 (Section M) or 52.212-2 will be based on the highest possible option price offered for each option as specified in DSCR Clause 52.217-9G08 (Section I).

M19CA 52.217-9G27 SURGE & SUSTAINMENT EVALUATION - MINIMUM REQUIREMENT DSCR (JUNE 2001)

(a) Evaluation. The surge & sustainment (S&S) requirement identified in the schedule represents a minimum requirement for award; therefore, offerors that fail to offer for the S&S requirement or submit proposals that are deficient may be rejected. The S&S capability assessment specified in 52.217-9G26 will be evaluated to determine the offeror's ability to meet the increased quantity/accelerated delivery requirements identified in the schedule for S&S.

(b) Acceptable Standard. Acceptable proposals must:
(1) describe a methodology which enables visibility of supplier base resources on a continuing basis;

(2) identify supplier base inventories, production capability, on-demand manufacturing and advanced technology capabilities, or any other means of support available to meet S&S requirements and, based on this identification, provide a description of S&S strategies for all items;

(3) identify problem items for which S&S cannot be easily met, propose solutions for these items, and identify any significant investments (dollars or otherwise) needed to implement these solutions;

(4) describe access to, and plans for, coordinating distribution and transportation services for meeting S&S requirements; and

(5) provide information regarding agreements with subcontractors, suppliers and service providers, if applicable, that reflect access to S&S resources;

(6) identify any significant investment (dollars or otherwise) under (3) or other subparagraphs above, needed to develop S&S capability, with the following information:

- (i) An explanation of why the investment is needed.
- (ii) A description of what items or materials will need to be purchased with the investment.
- (iii) Provide a justification/basis for the investment cost.
- (iv) Identify the S&S capability to be gained from the investment.
- (v) For investments to effect S&S strategies, an analysis of what strategies were considered and why the proposed strategies are the most cost effective.

(c) Acceptable Standard Commercial. The following standard shall apply in lieu of paragraph (b) for commercial items that are readily available and accessible in sufficient quantities to meet the S&S requirements. Adequate proposals shall:

(1) provide information to support the rationale for concluding that the S&S items are readily available;

(2) describe how access to these resources will provide the ability to meet S&S requirements; and

(3) identify a plan for coordinating distribution and transportation services for meeting S&S requirements

(d) Deficient Proposals. Proposal revisions to correct deficiencies in S&S capability may be addressed during negotiations with offerors determined within the competitive range.

(e) Price. Price(s) associated with S&S items will be evaluated for reasonableness and realism in accordance with proposal analysis techniques specified in FAR 15.404. The total evaluated price associated with a proposal will include S&S prices/costs only to the extent such prices/costs represent:

- (1) the dollar amount that must be obligated or

reserved at time of award to implement and or maintain the S&S capability and

(2) the dollar amount associated with a confirmed requirement to support an actual contingency.

(f) Materially Unbalanced Offers. The Government may determine that a proposal is unacceptable if the prices proposed are materially unbalanced between line items or subline items. Unbalanced pricing exists when, despite an acceptable total evaluated price, the price of one or more contract lines is significantly overstated or understated as indicated by application of cost or price analysis techniques. A proposal may be rejected if the Contracting Officer determines that lack of balance poses an unacceptable risk to the Government.

M33 52.247-9G21 BASIS FOR SUBMISSION AND EVALUATION OF OFFERS DSCR (JAN 1996)

(a) Offers are invited on an f.o.b. destination basis for items SEE , ATTACH, . Bids submitted on any other basis will be rejected as non-responsive.

(b) Offers are invited on the basis of both f.o.b. origin and destination for items N/A , , .

(c) Offers are invited on an f.o.b. origin basis for items N/A , , . When supplies are regionally priced the applicable regions shall be specified below. If regional price(s) are offered and the region is not specified, the bid will not be considered.

ATTACHMENT 4: PID DATA (PAGE 24 thru PAGE 66)

Line Item 0001 ***** 1560-00-053-5118 *****

ITEM DESCRIPTION

PLATE, STRUCTURAL, AI

RIGHTS GUARD APPLIES

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA

PACKAGE (TDP) EXISTS FOR THIS NSN.

EXCEPTIONS:

SPECIAL INSTRUCTIONS FOR NSN: 1560-00-053-5118

PART NUMBER: 65-15379-804

1. PART MARK PER MIL-STD-130, METHOD PER BAC5307.

2. DELETE REFERENCE TO BAC5005.

3. AFTER WELDING, -804 ASSY, HEAT TREAT PER

AMS2770 AND MIL-H-6088 TO T6 TEMPER.

4. USE MIL-STD-2219 IN LIEU OF BAC5935.

5. FINISH -804 ASSY AS FOLLOWS: CHEMICAL TREAT

TO MEET THE REQUIREMENTS OF MIL-C-5541, CLASS 1A

OR ANODIZE TO MEET THE REQUIREMENTS OF

MIL-A-8625, TYPE I, CLASS 1. APPLY ONE COAT OF

MIL-P-23377F, TYPE I, CLASS 2, ACCORDING TO

MANUFACTURER'S APPLICATION INSTRUCTIONS AND MIL-F-18264.

6. USE WW-T-700 AND WW-T-700/6 IN LIEU OF

WW-T-789.

7. DISREGARD WW-T-789 MATERIAL CALLOUT FOR

-6 PLATE. MAKE THE -6 PLATE FROM 6061-0 ALUMINUM

SHEET PER QQ-A-250 AND QQ-A-250/11.

8. PART TO BE FURNISHED WITHOUT RIVET OR FASTENER HOLES.

9. REFERENCE PAGE 13, PARAGRAPH 5.1.2: USE

ISOPROPYL ALCOHOL PER TT-I-735 IN LIEU OF 0-T-620. (MIL-F-18264).

...END OF SPECIAL INSTRUCTIONS...

EXPORT CONTROL

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP

EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE

RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY

DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

13873 QAP-008

BASIC DATE: 1997152AMEND NR: AMEND DT:

TYPE

13873 000535118-02351

BASIC DATE: 2002351AMEND NR: AMEND DT: 2002351

TYPE

81205 BAC5300

BASIC DATE: 1986301AMEND NR: K AMEND DT: 1986301

TYPE

81205 BAC5300

BASIC DATE: 2000040AMEND NR: K AMEND DT: 2000040

TYPE

81205 BAC5307

BASIC DATE: 1998194AMEND NR: N AMEND DT: 1998194

TYPE

81205 BAC5307

BASIC DATE: 2002164AMEND NR: N AMEND DT: 2002164

TYPE

81205 65-15379

BASIC DATE: 1964366AMEND NR: D AMEND DT: 1964366

TYPE 65-15379-804

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = FA
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1994231
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0002 *** 1560-00-055-8811 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL COMPONENT, AIRCRAFT
RIGHTS GUARD APPLIES
"EXCEPTIONS"
SPECIAL INSTRUCTIONS FOR NSN: 1560-00-055-8811
PART NUMBER: 65-1769-4
DWG 65-1769 NOTES: 1, 2, 4 & 5
DWG 5-89562 NOTES: 2, 3, & 5
1. F-2.30 FINISH CODE DEFINED:
CHEMICAL TREAT TO MEET THE REQUIREMENTS OF
MIL-C-5541, CLASS 1A, OR ANODIZE TO MEET THE
REQUIREMENTS OF MIL-A-8625, TYPE 1, CLASS 1.
APPLY MIL-P-23377 TYPE 1, TO A DRY FILM
THICKNESS OF 0.0003 TO 0.0005 INCH ACCORDING TO
MIL-C-22751 AND MIL-F-18264.
2. USE ANSIB46.1 IN LIEU OF BACD2097.
3. USE BSS7015 IN LIEU OF BAC5405.
4. OPTIONAL TO USE 7075-T6 FORGED BAR IN LIEU
OF 7075-T6 DIE FORGING. DELETE DRAFT ANGLES AS
SHOT-PEEN AS - FORGED SURFACES PER MIL-S-13165.
5. DELETE REFERENCE TO DRAWING BAC5005.
...END OF SPECIAL INSTRUCTIONS...
EXPORT CONTROL APPLIES
AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).
TECH DATA PACKAGE AVAILABILITY:
A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA
PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 000558811-04097 TYPE	BASIC DATE: 2004097AMEND NR:	AMEND DT:
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR:	N AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR:	N AMEND DT: 2002164
81205 BAC5423 TYPE	BASIC DATE: 1998142AMEND NR:	W AMEND DT: 1998142
81205 BAC5423 TYPE	BASIC DATE: 1999245AMEND NR:	W AMEND DT: 1999245
81205 BMS7-186J TYPE	BASIC DATE: 1999118AMEND NR:	J AMEND DT: 1999118
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR:	AMEND DT:
81205 5-89562 TYPE	BASIC DATE: 1976209AMEND NR:	F AMEND DT: 1976209
81205 65-1769 TYPE	BASIC DATE: 1983220AMEND NR:	C AMEND DT: 1983220
81205 65-1769 TYPE 65-1769-4	BASIC DATE: 1960277AMEND NR:	C AMEND DT: 1960277

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
 INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004117
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
 DATED 2003290
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0003 *** 1560-00-325-1439 *******

ITEM DESCRIPTION

PLATE, STRUCTURAL, AIRCRAFT
 "RIGHTS GUARD APPLIES"
 "GOVERNMENT MYLAR APPLIES"
 NOTE: A STABLE BASE DRAWING FORMS A PART OF
 THE DATA PACKAGE REQUIRED FOR PERFORMANCE AND
 AS SUCH WILL BE FORWARDED TO THE SUCCESSFUL
 OFFEROR WITHIN 30 DAYS AFTER AWARD OF THE
 CONTRACT.

"EXCEPTIONS:"

SPECIAL INSTRUCTIONS FOR:

- NSN 1560-00-325-1439, P/N 6-72093-3001 AND
NSN 1560-00-325-1507, P/N 6-72093-3002
1. USE MIL-W-6858 IN LIEU OF BAC5003.
 2. USE 65-88700 IN LIEU OF BAC5005.
 3. FINISH CODE SRF-2.114 DEFINED: CHEMICAL TREAT TO MEET THE REQUIREMENTS OF MIL-C-5541. APPLY ONE COAT OF MIL-P-23377, TYPE 1, ACCORDING TO MIL-C-22751 AND MIL-F-18264.
 4. USE QQ-A-250 AND QQ-A-250/5 IN LIEU OF QQ-A-362.
 5. HEAT TREAT TO T42 IN LIEU OF T4.
 6. FINISH CODE F-2.10 DEFINED: APPLY NO FINISH, EXCEPT TEMPORARY COATINGS MAY BE APPLIED AS REQUIRED FOR PROTECTION DURING HANDLING, TRANSPORTATION AND STORAGE ACCORDING TO BAC5034.
 7. USE BMS5-34 WITH BAC5010, TYPE 49.
 8. USE PART MARKING PER MIL-STD-130 METHOD PER BAC5307.
 9. ADCN'S # 12 & 13 APPLY TO DRAWING 6-72093.
 10. USE HEAT TREAT PER MIL-H-6088.
- ...END OF SPECIAL INSTRUCTIONS...

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA PACKAGE AVAILABILITY:

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 003251439-02354 TYPE	BASIC DATE: 2002354AMEND NR:	AMEND DT:
81205 BAC1523 TYPE	BASIC DATE: 2000014AMEND NR:	V AMEND DT: 2000014
81205 BAC5010 TYPE	BASIC DATE: 1998275AMEND NR:	W AMEND DT: 1998275
81205 BAC5010 TYPE	BASIC DATE: 1998303AMEND NR:	W AMEND DT: 1998303
81205 BAC5034 TYPE	BASIC DATE: 1993204AMEND NR:	M AMEND DT: 1993204
81205 BAC5034 TYPE	BASIC DATE: 1999214AMEND NR:	M AMEND DT: 1999214
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040

TYPE
81205 BAC5307 BASIC DATE: 2002164AMEND NR: N AMEND DT: 2002164
TYPE
81205 BAC5602 BASIC DATE: 1969321AMEND NR: AF AMEND DT: 1969321
TYPE
81205 BAC5602 BASIC DATE: 2001240AMEND NR: AF AMEND DT: 2001240
TYPE
81205 BAC5719 BASIC DATE: 2000315AMEND NR: W AMEND DT: 2000315
TYPE
81205 BAC5719 BASIC DATE: 2002100AMEND NR: W AMEND DT: 2002100
TYPE
81205 BAC5736 BASIC DATE: 1988356AMEND NR: R AMEND DT: 198835681205
BAC5307 BASIC DATE: 1998194AMEND NR: N AMEND DT: 1998194
TYPE
81205 BAC5736 BASIC DATE: 1998072AMEND NR: R AMEND DT: 1998072
TYPE
81205 BAC5977 BASIC DATE: 1992169AMEND NR: N AMEND DT: 1992169
TYPE
81205 BAC5977 BASIC DATE: 1995310AMEND NR: N AMEND DT: 1995310
TYPE
81205 BMS10-11V BASIC DATE: 1994187AMEND NR: V AMEND DT: 1994187
TYPE
81205 BMS10-11V BASIC DATE: 2001102AMEND NR: G AMEND DT: 2001102
TYPE
81205 BMS5-126H BASIC DATE: 1998152AMEND NR: H AMEND DT: 1998152
TYPE
81205 BMS5-126H BASIC DATE: 2001003AMEND NR: B AMEND DT: 2001003
TYPE
81205 6-72093 BASIC DATE: 1988339AMEND NR: J AMEND DT: 1988339
TYPE 6-72093-3001

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = FA
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1993105
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0004 ***** 1560-00-326-9862 *****

ITEM DESCRIPTION

PLATE, STRUCTURAL
RIGHTS GUARD APPLIES
EXCEPTIONS TO DWG 3-95650:
1) USE 2024-T3 CLAD, QQ-A-250 AND QQ-A-250/5
T-3 TEMPER IN LIEU OF 2024-T3 CLAD QQ-A-362 T3.
2) USE MS21047L3 IN LIEU OF BAC-N10LA-A35.
3) USE MS20426 RIVET TO FASTEN NUT PLATE PER
BAC5004, BAC5004-1 AND BAC5049.
4) FINISH CODE F2.115 DEFINED: CHEMICAL TREAT
TO MEET THE REQUIREMENTS OF MIL-C-5541 CLASS 1A
OR ANODIZE TO MEET THE REQUIREMENTS OF MIL-A-
8625 TYPE 1 CLASS 1. APPLY ONE COAT OF MIL-P-
23377 TYPE 1 ACCORDING TO MANUFACTURES APPLICA-
TION INSTRUCTIONS AND MIL-F-18264.
5) DELETE REFERENCE TO BAC5005 AND NAS463.
6) PART MARK PER MIL-STD-130 METHOD PER BAC5307.
...END OF SPECIAL INSTRUCTIONS...

GOVERNMENT FURNISHED MYLAR

NOTE: A STABLE BASE DRAWING FORMS A PART OF
THE DATA PACKAGE REQUIRED FOR PERFORMANCE AND
AS SUCH WILL BE FORWARDED TO THE SUCCESSFUL
OFFEROR WITHIN 30 DAYS AFTER AWARD OF THE CONTRACT.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA PACKAGE AVAILABILITY:

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA
PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 003269862-02207 TYPE	BASIC DATE: 2002207AMEND NR:	AMEND DT: 2002207
81205 BAC5004 TYPE	BASIC DATE: 1995347AMEND NR:	K AMEND DT: 1995347
81205 BAC5004 TYPE	BASIC DATE: 1994056AMEND NR:	K AMEND DT: 1994056
81205 BAC5004-1 TYPE	BASIC DATE: 1986054AMEND NR:	L AMEND DT: 1986054
81205 BAC5004-1 TYPE	BASIC DATE: 1996113AMEND NR:	L AMEND DT: 1996113
81205 BAC5049 TYPE	BASIC DATE: 1990024AMEND NR:	H AMEND DT: 1990024
81205 BAC5049 TYPE	BASIC DATE: 1996141AMEND NR:	H AMEND DT: 1996141
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1994223AMEND NR:	M AMEND DT: 1994223

81205 BAC5307
TYPE
82918 3-95650
TYPE

BASIC DATE: 1999326AMEND NR: M AMEND DT: 1999326
BASIC DATE: 1978143AMEND NR: C AMEND DT: 1978143

CRITICAL APPLICATION ITEM
PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = A1 LEVEL PRESV =
INTRMDT CONT = D3 INTRMDT CONT QTY = AAA CONV DT = 1995116
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0005 *** 1560-00-391-3227 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
RIGHTS GUARD APPLIES
SPECIAL INSTRUCTIONS FOR NSN 1560-00-391-3227
DRAWING 66-3062 NOTES; 1-6,9
DRAWING 66-3059 NOTES; 1-5,7-9
1.PART MARK PER MIL-STD-130, METHOD PER BAC5307
2.SURFACE TEXTURE PER ASME B46.1 I/L/O BACD2097
3.DIMENSIONS AND TOLERANCES PER ASME Y14.5M
4.DELETE REFERENCE TO D2-5000 AND BAC5005
5.FINISH CODE F-2.10 DEFINED:APPLY ONLY
TEMPORARY COATING TO PROVIDE PROTECTION DURING
HANDLING, TRANSPORTATION AND STORAGE PER BAC5034
6.FINISH CODE SRF-2.30 DEFINED: CHEMICAL TREAT
PER MIL-C-5541, CLASS 1A OR ANODIZE TO MEET
MIL-A-8625, TYPE I, CLASS 1. APPLY ONE COAT OF
MIL-P-23377, TYPE I, CLASS C PRIMER PER THE
MANUFACTURERS APPLICATION INSTRUCTIONS AND
MIL-F-18264.
7.DIMENSION CONTROL OF FORGING PER BSS7015
I/L/O BAC5405
8.OPTIONAL TO DELETE RAISED LETTERING ON FORGING
9.MAJOR CHARACTERISTICS; GRAIN DIRECTION AND
COUNTER BORE DIMENSIONS.
...END OF SPECIAL INSTRUCTIONS...
EXPORT CONTROL APPLIES
AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.
MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA AVAILABILITY

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

FORGING SOURCES

APPROVED FORGING SOURCES PER BOEING DOCUMENT D2-4426 REV V

3M AULD

1209 N. 5TH ST.

P.O. BOX 8459

COLUMBUS, OH 43201

70677

A B A INDUSTRIES INC.

10260 U.S. HIGHWAY 19 NORTH

PINELLAS PARK, FL 34290-9000

ALCOA

1600 HARVARD AVE.

CLEVELAND, OH 44105

2A356

ALCOA-VERNON

5151 ALCOA AVE.

P.O. BOX 58407

LOS ANGELES, CA 90058

ALUMINUM FORGE CO.

502 E. ALTON ST.

SANTA ANA, CA 92707

7T998

ALUMINUM PRECISION PRODUCTS INC.

2621 S. SUSAN ST.

SANTA ANA, CA 92704

50502

ARCTURUS MFG

6001 ARCTURUS AVE.

OXNARD, CA 93033

82149

BERGMAN MFG. CO.

1202 N. FIFTH

P.O. BOX 560

GARLAND, TX 75040

2F604

CAMERON FORGE CO.

22301 HEMPSTEAD HWY

P.O. BOX 1212

HOUSTON, TX 77251-1212

10447

CANTON DROP FORGE

4575 SOUTHWAY ST., S.W.

P.O. BOX 6902

CANTON, OH 44706

10591

CHEN-TECH INDUSTRIES INC.

10 AUTRY

IRVINE, CA 92714-4289

61139

CONSOLIDATED INDUSTRIES

677 MIXVILLE RD.

CHESIRE, CT 06410

96563

CONTINENTAL FORGE CO.

512 E. CARLIN ST.

COMPTON, CA 90222

1H280

FANSTEEL CALIF. DROP FORGE

1033 ALHAMBRA AVE.

LOS ANGELES, CA 90012

29784

INTERNATIONAL LIGHT METALS

19200 S. WESTERN AVE.

TORRANCE, CA 90509

27610

INTERSTATE DROP FORGE 4051 N. 27TH ST. MILWAUKEE, WI 53216	85036
INTERSTATE S.W. FORGE CO. P.O. BOX 1030 NAVOSTA, TX 77868	52576
KAISER ALUMINUM AND CHEMICAL 1001 MCWANE P.O. BOX 2398 OXNARD, CA 93030	28317
KAISER ALUMINUM AND CHEMICAL 1015 E. 12TH ST. ERIE, PA 16503	28311
KROPP FORGE CO. DIVISION OF ANADITE 5301 W. ROSEVELT RD. CHICAGO, IL 60650	22618
LADISH CO. 5481 S. PACKARD AVE. CUDAHY, WI 53110	34646
LADISH PACIFIC DIVISION 3321 E. SLAUSON AVE. BOX 58825 LOS ANGELES, CA 90058-3991	10633
PACIFIC FORGE INC. 10641 ETIWANDA AVE. FONTANA, CA 92335	07754
PARK DROP FORGE 777E. 79TH ST. CLEVELAND, OH 44103	77115
QUALITY ALUMINUM FORGE 430 W. COLLINS AVE. ORANGE, CA 92667	58635
SHULTZ STEEL CO. 5321 FIRESTONE BLVD SOUTH GATE, CA 90280	86985
STEEL IMPROVEMENT AND FORGE (SIFCO) 970 E. 64TH ST. CLEVELAND, OH 44103-1694	78226
T AND W FORGE INC. 562 W. ELY ST. ALLIANCE, OH 44601	
W. PAT CROW FORGING INC. 200 LUXTON P.O. BOX 1720 FT WORTH, TX 76101	94790
WEBER METALS 16706 GARFIELD AVE. PARAMOUNT, CA 90723	5E579
WYMAN GORDON CO. LYNCH RD. DANVILLE, IL 61832	
WYMAN GORDON CO. 105 MADISON ST. WORCESTER, MA 01601	79448
WYMAN GORDON CO. WORCESTER ST. NORTH GRAFTON, MA 01536	26968

...END OF APPROVED FORGING SOURCES...

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 003913227-04079 TYPE	BASIC DATE: 2004079AMEND NR:	AMEND DT:
81205 BACB10C TYPE	BASIC DATE: 2002135AMEND NR: AR	AMEND DT: 2002135
81205 BAC5034 TYPE	BASIC DATE: 1993204AMEND NR: M	AMEND DT: 1993204
81205 BAC5034 TYPE	BASIC DATE: 1999214AMEND NR: M	AMEND DT: 1999214
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR: K	AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR: K	AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR: N	AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR: N	AMEND DT: 2002164
81205 BAC5423 TYPE	BASIC DATE: 1998142AMEND NR: W	AMEND DT: 1998142
81205 BAC5423 TYPE	BASIC DATE: 1999245AMEND NR: W	AMEND DT: 1999245
81205 BAC5435 TYPE	BASIC DATE: 2001332AMEND NR: V	AMEND DT: 2001332
81205 BAC5435 TYPE	BASIC DATE: 2001325AMEND NR: V	AMEND DT: 2001325
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR:	AMEND DT:
81205 D-10875 TYPE	BASIC DATE: 1967248AMEND NR: P	AMEND DT: 1967248
81205 66-3059 TYPE	BASIC DATE: 1961061AMEND NR: C	AMEND DT: 1961061
81205 66-3062 TYPE 66-3062-11	BASIC DATE: 1978058AMEND NR: H	AMEND DT: 1978058

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004217
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
DATED 2003290
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0006 ***** 1560-00-436-2409 *****

ITEM DESCRIPTION

RETAINER, RADIATION BARRIER
 RIGHTS GUARD APPLIES
 THE FOLLOWING EXCEPTIONS TO DWG 66-13193, REV "A"
 APPLY: 1) FINISH CODE F-1.10 DEFINED: APPLY TEMPORA
 -RY COATINGS AS REQUIRED FOR PROTECTION DURING
 HANDLING, TRANSPORTATION, & STORAGE. 2) DELETE REFER
 -ENCE TO BAC5005. 3) PART MARKING PER MIL-STD-130,
 METHOD PER BAC5307.
 ...END OF SPECIAL INSTRUCTIONS...

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
 CONFIGURATION CONTROL APPLIES
 SEE CLAUSE 52.246-9G36 (SECTION I).
 EXPORT CONTROL APPLIES
 AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
 EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
 RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
 DEFENSE LOGISTICS SERVICE CENTER.

13873 QAP-008	BASIC DATE: 1997152	AMEND NR:	AMEND DT:
TYPE			
13873 004362409-02235	BASIC DATE: 2002235	AMEND NR:	AMEND DT:
TYPE			
81205 BAC5307	BASIC DATE: 1994223	AMEND NR:	M AMEND DT: 1994223
TYPE			
81205 BAC5307	BASIC DATE: 1999326	AMEND NR:	M AMEND DT: 1999326
TYPE			
81205 BMS8-44F	BASIC DATE: 2000019	AMEND NR:	F AMEND DT: 2000019
TYPE			
81205 BMS8-44F	BASIC DATE: 2000019	AMEND NR:	AMEND DT:
TYPE			
81205 66-13193	BASIC DATE: 1962077	AMEND NR:	A AMEND DT: 1962077
TYPE 66-13193-1			

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = A1 LEVEL PRESV =
 INTRMDT CONT = D3 INTRMDT CONT QTY = AAA CONV DT = 1991309
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
 DATED 1997212
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0007 ***** 1560-00-574-9532 *****

ITEM DESCRIPTION

SUPPORT, STRUCTURAL

BOEING CO (81205)

EXCEPTIONS

SPECIAL INSTRUCTIONS FOR NSN 1560-00-574-9532

DRAWING 9-55698 NOTES: 1-4,7-10,12,16

DRAWING 9-55697 NOTES: 5,6,8,11,13-15

1. PART MARKING PER MIL-STD-130 METHOD PER
BAC53072. SURFACE TEXTURE PER ASMEB46.1 IN LIEU OF
BACD2097.

3. DIMENSIONS AND TOLERANCES PER ASME Y14.5M.

4. DELETE REFERENCE TO BAC5005 AND D2-5000.

5. USE FINISH CODE F-2.10 I/L/O F-3.15.

6. FINISH CODE F-2.10 DEFINED: APPLY ONLY
TEMPORARY COATING AS REQUIRED FOR PROTECTION
DURING HANDLING, TRANSPORTATION AND STORAGE PER
BAC5034.7. FINISH CODE F-12.40 DEFINED: APPLY WET
MIL-P-23377, TY I CL C PRIMER PER THE
MANUFACTURERS APPLICATION INSTRUCTIONS AND
MIL-F-18264 TO ALL AREAS OF THE HOLE INCLUDING
ANY COUNTERSINK, COUNTERBORE, OR OTHER RECESS,
AND IMMEDIATELY INSTALL FASTENER OR INSERT;
EXCEPT WHEN FASTENER IS INSTALLED INTO AN INSERT
OR OTHER LOCATION REQUIRING EASE OF REMOVAL OF
THE FASTENER THEN USE CORROSION PREVENTATIVE
COMPOUND MIL-C-11796, CLASS 3 INSTEAD OF PRIMER.8. OPTIONAL TO DELETE RAISED LETTERING ON
CASTING.

9. NUT, CASTELLATED PER NASM310 I/L/O AN310.

10. PIN COTTER PER NASM24665 I/L/O AN380.

11. ALUMINUM CASTING MATERIAL PER MIL-A-21180
I/L/O QQ-M-56 MAGNESIUM.

12. WASHER PER NAS1197 I/L/O BACW10T-5161.

13. CASTING INSPECTION PER MIL-STD-2175 I/L/O
MIL-C-6021.14. RADIOGRAPHIC INSPECTION PER ASTM E1742
I/L/O D-14841.15. DIMENSION CONTROL OF CASTING PER BSS7015
I/L/O BAC5405.

...END OF SPECIAL INSTRUCTIONS...

ADDITIONAL EXCEPTION;16. PART IS TO BE FURNISHED
WITHOUT FASTENER OR RIVET HOLES.

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

ORIGIN INSPECTION REQUIRED

TECH DATA PACKAGE AVAILABILITY:
AN UNRESTRICTED TECHNICAL DATA PACKAGE IS
AVAILABLE AT DSCR FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 005749532-03050 TYPE	BASIC DATE: 2003050AMEND NR:	AMEND DT: 2003050
81205 BACB10B TYPE	BASIC DATE: 1999123AMEND NR: AE	AMEND DT: 1999123
81205 BAC5008 TYPE	BASIC DATE: 1993042AMEND NR: R	AMEND DT: 1993042
81205 BAC5008 TYPE	BASIC DATE: 2001032AMEND NR: R	AMEND DT: 2001032
81205 BAC5009 TYPE	BASIC DATE: 2002044AMEND NR: P	AMEND DT: 2002044
81205 BAC5009 TYPE	BASIC DATE: 2002044AMEND NR: P	AMEND DT: 2002044
81205 BAC5034 TYPE	BASIC DATE: 1993204AMEND NR: M	AMEND DT: 1993204
81205 BAC5034 TYPE	BASIC DATE: 1999214AMEND NR: M	AMEND DT: 1999214
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR: K	AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR: K	AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR: N	AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR: N	AMEND DT: 2002164
81205 BAC5423 TYPE	BASIC DATE: 1998142AMEND NR: W	AMEND DT: 1998142
81205 BAC5423 TYPE	BASIC DATE: 1999245AMEND NR: W	AMEND DT: 1999245
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR:	AMEND DT: 1989298
81205 BSS7039 TYPE	BASIC DATE: 1999021AMEND NR:	AMEND DT: 1999021
81205 9-55697 TYPE	BASIC DATE: 1987178AMEND NR: B	AMEND DT: 1987178
81205 9-55698 TYPE	BASIC DATE: 1957365AMEND NR: E	AMEND DT: 1957365

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004124
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
DATED 2003290
SUPPLEMENTAL INSTRUCTIONS

SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS

Line Item 0008 ***** 1560-00-674-3851 *****

ITEM DESCRIPTION

SEAL-COVE LIP DOOR, INBOARD
RIGHTS GUARD APPLIES
EXCEPTIONS TO DWG 69-23059: USE QQ-A-250 AND
QQ-A-250/5 IN LIEU OF QQ-A-362. USE MIL-H-6088
IN LIEU OF BAC5602. USE BAC5010, TYPE 79 IN LIEU
OF TYPE 42. USE BAC5010, TYPE 68 IN LIEU OF TYPE
45. USE BAC5010, TYPE 77 IN LIEU OF TYPE 46.
PART MARK PER MIL-STD-130 PER BAC5307. DELETE
.141-.151 DIA HOLES. DELETE REFERENCE TO BAC5005.
FINISH CODE SRF-2.115 DEFINED: CHEMICAL TREAT
I/A/W MIL-C-5541, CLASS 1A, OR ANODIZE I/A/W MIL-A
-8625, TYPE 1, CLASS 1. APPLY 1 COAT OF MIL-P-23377
TYPE 1, I/A/W MFR'S APPLICATION, & MIL-F-18264.
...END OF SPECIAL INSTRUCTIONS...

"GOVERNMENT FURNISHED MYLAR APPLIES"

NOTE: A STABLE BASE DRAWING FORMS A PART OF
THE DATA PACKAGE REQUIRED FOR PERFORMANCE AND
AS SUCH WILL BE FORWARDED TO THE SUCCESSFUL
OFFEROR WITHIN 30 DAYS AFTER AWARD OF THE
CONTRACT.

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

DATA AVAILABILITY:

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA PACKAGE AVAILABILITY:

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA
PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008	BASIC DATE: 1997152	AMEND NR:	AMEND DT:
TYPE			
13873 006743851-03156	BASIC DATE: 2003156	AMEND NR:	AMEND DT:
TYPE			
81205 BAC1521	BASIC DATE: 1990250	AMEND NR: AR	AMEND DT: 1990250
TYPE			
81205 BAC1521	BASIC DATE: 1990250	AMEND NR: J	AMEND DT: 1990250
TYPE			
81205 BAC5010	BASIC DATE: 1998275	AMEND NR: W	AMEND DT: 1998275
TYPE			
81205 BAC5010	BASIC DATE: 1998303	AMEND NR: W	AMEND DT: 1998303
TYPE			
81205 BAC5300	BASIC DATE: 1986301	AMEND NR: K	AMEND DT: 1986301
TYPE			

81205 BAC5300 BASIC DATE: 2000040AMEND NR: K AMEND DT: 2000040
TYPE

81205 BAC5307 BASIC DATE: 1998194AMEND NR: N AMEND DT: 1998194
TYPE

81205 BAC5307 BASIC DATE: 2002164AMEND NR: N AMEND DT: 2002164
TYPE

81205 BMS1-57J BASIC DATE: 2003051AMEND NR: J AMEND DT: 2003051
TYPE

81205 BMS1-57J BASIC DATE: 2003094AMEND NR: A AMEND DT: 2003094
TYPE

81205 BMS5-30F BASIC DATE: 1994126AMEND NR: F AMEND DT: 1994126
TYPE

81205 BMS5-30F BASIC DATE: 2001103AMEND NR: B AMEND DT: 2001103
TYPE

81205 D2-5000 BASIC DATE: 2002024AMEND NR: CG AMEND DT: 2002024
TYPE

81205 69-23059 BASIC DATE: 1974180AMEND NR: D AMEND DT: 1974180
TYPE 69-23059-31

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = A1 LEVEL PRESV =
INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004128
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
DATED 2003290
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0009 *** 1560-00-676-6644 *******

ITEM DESCRIPTION

PLATE, STRUCTURAL, AI
RIGHTS GUARD APPLIES
EXCEPTIONS
SPECIAL INSTRUCTIONS FOR NSN 1560-00-676-6644
DRAWING 69-47055 NOTES: 1-12
1. PART MARKING PER MIL-STD-130 METHOD PER
BAC5307
2. SURFACE TEXTURE PER ASMEB46.1 IN LIEU OF
BACD2097.
3. DIMENSIONS AND TOLERANCES PER ASME Y14.5M.
4. DELETE REFERENCE TO BAC5005 AND D2-5000.
5. DELETE REFERENCE TO LOCATE TO MATCH 5-87421.
DRILL HOLES PER DRAWING DIMENSIONS.
6. 4130 STEEL PER AMS-S-6758 I/L/O MIL-S-6758.
7. FINISH CODE SRF-12.206 DEFINED: APPLY TWO
COATS OF MIL-PRF-23377 TYPE I CLASS C PER THE
MANUFACTURERS APPLICATION INSTRUCTIONS AND
MIL-F-18264.

8. MAGNETIC PARTICLE INSPECT PER ASTM E1444 I/L/O MIL-I-6868 (MIL-STD-1949) WITH THE FOLLOWING ADDITIONAL REQUIREMENT: THE INTENSITY OF VISIBLE LIGHT REFERRED TO IN PARA 5.7.1 IS TO BE A MINIMUM OF 200FC.
9. FINISH CODE F-1.191 DEFINED: CADMIUM PLATE PER QQ-P-416, TYPE I, CLASS 2. BAKE THREE HOURS AT 375 DEGREES + OR 25F.
10. FINISH CODE F-12.42 DEFINED: INSTALL ANTI-FRICTION (ROLLER ELEMENT) AND FRICTION (SLIDING ELEMENT) BEARINGS WITH A THIN FILM OF MIL-PRF-23827 GREASE APPLIED TO MATING SURFACE OF GEARS AND HOUSING.
11. HEAT TREAT PER AMS-H-6875 I/L/O BAC5601.
12. MAJOR CHARACTERISTICS: BEFORE AND AFTER PLATING DIMENSIONS, GRAIN DIRECTION.
- ...END OF SPECIAL INSTRUCTIONS...

EXPORT CONTROL APPLIES
AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).
ORIGIN INSPECTION REQUIRED
TECH DATA PACKAGE AVAILABILITY:
A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 006766644-03169 TYPE	BASIC DATE: 2003169AMEND NR:	AMEND DT:
81205 69-47055 REV B TYPE DWG P/N -2	BASIC DATE: 1978093AMEND NR:	AMEND DT:

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = FA
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1994083
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0010 ***** 1560-00-731-0571 *****

ITEM DESCRIPTION

PLATE, STRUCTURAL, AIRCRAFT

"RIGHTS GUARD APPLIES"

"EXCEPTIONS"

1)USE 2024-T3 PER QQ-A-200 AND QQ-A-200/3, T3
TEMPER IN LIEU OF 2024-T4 PER QQ-A-267, T4 TEMP.2)FINISH CODE F2.21 DEFINED: CHEMICAL TREAT
ACCORDING TO MIL-C-5541 CLASS 1A. 3) FINISH
CODE F12.20 DEFINED: APPLY ONE COAT MIL-P-23377
TYPE I, ACCORDING TO MANUFACTURERS APPLICATION
INSTRUCTIONS AND MIL-F-18264. 4)DELETE REFERENCE
TO BAC5005. 5)PART MARK PER MIL-STD-130 METHOD
PER BAC5307.

...END OF SPECIAL INSTRUCTIONS...

IDENTIFY TO:

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

TECH DATA AVAILABILITY

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA
PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 007310571-03134 TYPE	BASIC DATE: 2003134AMEND NR:	AMEND DT:
20566 ST200 TYPE	BASIC DATE: 1962335AMEND NR:	AMEND DT:
81205 BAC1505-11 TYPE	BASIC DATE: 1991039AMEND NR:	AW AMEND DT: 1991039
81205 BAC1523 TYPE	BASIC DATE: 2000014AMEND NR:	V AMEND DT: 2000014
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR:	N AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR:	N AMEND DT: 2002164
81205 6-83671 TYPE	BASIC DATE: 1974337AMEND NR:	E AMEND DT: 1974337
81205 6-83671 TYPE 6-83671-3	BASIC DATE: 1961179AMEND NR:	E AMEND DT: 1961179
82918 D6-5878 TYPE	BASIC DATE: 1979004AMEND NR:	B AMEND DT: 1979004

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = FA
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1992142
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0011 ***** 1560-00-852-4169 *****

ITEM DESCRIPTION

SUPPORT STRUCTURAL
RIGHTS GUARD APPLIES
SPECIAL INSTRUCTIONS FOR NSN 1560-00-852-4169
DWG 69-34502 NOTES: 1-4,9,10
DWG 66-22257 NOTES: 1-8
1.PART MARK PER MIL-STD-130, METHOD PER BAC5307
2.SURFACE TEXTURE PER ASME B46.1 I/L/O BACD2097
3.DIMENSIONS AND TOLERANCES PER ASME Y14.5M
4.DELETE REFERENCE TO BAC5005 AND D2-5000
5.2024 ALUMINUM PER AMS-QQ-A-250/5 I/L/O
QQ-A-362
6.HEAT TREAT PER AMS2770 AND AMS-H-6088
7.FINISH CODE F-2.115 DEFINED: CHEMICAL TREAT
TO MEET MIL-C-5541, CLASS 1A OR ANODIZE TO
MEET MIL-A-8625, TYPE I, CLASS I. APPLY
MIL-PRF-23377, TYPE I, CLASS C TO A DRY FILM
THICKNESS PER THE MFR'S APPLICATION INSTRUCTIONS
AND MIL-F-18264.
8.FINISH CODE SRF-12.63 DEFINED: APPLY ONE COAT
OF BMS 10-11, TY II, FED-STD-595 COLOR 26493
PER BAC5736
9.RIVETS PER NASM20426 I/L/O MS20426
10.RIVETS PER NASM20470 I/L/O MS20470
...END OF SPECIAL INSTRUCTIONS...

GOVERNMENT FURNISHED MYLAR

NOTE: A STABLE BASE DRAWING FORMS A PART OF
THE DATA PACKAGE REQUIRED FOR PERFORMANCE AND
AS SUCH WILL BE FORWARDED TO THE SUCCESSFUL
OFFEROR WITHIN 30 DAYS AFTER AWARD OF THE
CONTRACT.

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA AVAILABILITY

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 008524169-01312 TYPE	BASIC DATE: 2001312AMEND NR:	AMEND DT:
81205 BACD2074 TYPE	BASIC DATE: 2001064AMEND NR:	AF AMEND DT: 2001064
81205 BAC5004 TYPE	BASIC DATE: 1995347AMEND NR:	K AMEND DT: 1995347
81205 BAC5004 TYPE	BASIC DATE: 1994056AMEND NR:	K AMEND DT: 1994056
81205 BAC5004-1 TYPE	BASIC DATE: 1986054AMEND NR:	L AMEND DT: 1986054
81205 BAC5004-1 TYPE	BASIC DATE: 1996113AMEND NR:	L AMEND DT: 1996113
81205 BAC5049 TYPE	BASIC DATE: 1990024AMEND NR:	H AMEND DT: 1990024
81205 BAC5049 TYPE	BASIC DATE: 1996141AMEND NR:	H AMEND DT: 1996141
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1994223AMEND NR:	M AMEND DT: 1994223
81205 BAC5307 TYPE	BASIC DATE: 1999326AMEND NR:	M AMEND DT: 1999326
81205 BAC5736 TYPE	BASIC DATE: 1988356AMEND NR:	R AMEND DT: 1988356
81205 BAC5736 TYPE	BASIC DATE: 1998072AMEND NR:	R AMEND DT: 1998072
81205 BMS10-11V TYPE	BASIC DATE: 1994187AMEND NR:	V AMEND DT: 1994187
81205 BMS10-11V TYPE	BASIC DATE: 1999004AMEND NR:	F AMEND DT: 1999004
81205 66-22257 TYPE	BASIC DATE: 2000088AMEND NR:	C AMEND DT: 2000088
81205 69-34502 TYPE	BASIC DATE: 1965088AMEND NR:	B AMEND DT: 1965088
81205 69-34502 TYPE 69-34502-2	BASIC DATE: 1978060AMEND NR:	B AMEND DT: 1978060

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
 INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1996358
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.

PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0012 *** 1560-00-859-9708 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
RIGHTS GUARD APPLIES
EXCEPTIONS:

- SPECIAL INSTRUCTIONS FOR NSN: 1560-00-859-9708
PART NUMBER: 69-2978
DWG 69-2978 (NOTES: 1 THRU 7; 10 THRU 14).
DWG 9-66862 (NOTES: 7 THRU 10).
1. DELETE REFERENCE TO BAC5005.
 2. USE MIL-H-6875 IN LIEU OF BAC5601.
 3. USE ANSIB46.1 IN LIEU OF BACD2097.
 4. USE MIL-STD-1949 AND ANY ADDITIONAL REQUIREMENTS IDENTIFIED IN ENGINEERING NOTE 13 IN LIEU OF MIL-I-6868. ACCEPT/REJECT CRITERIA AS STATED IN ENGINEERING NOTE 14.
 5. PART MARK PER MIL-STD-130, METHOD PER BAC5307.
 6. FINISH CODE F-1.20 DEFINED: CADMIUM PLATE PER QQ-P-416, TYPE II, CLASS 2.
 7. FINISH CODE F-1.10 DEFINED: APPLY TEMPORARY COATINGS AS REQUIRED FOR PROTECTION DURING HANDLING, TRANSPORTATION AND STORAGE.
 8. USE BAC5482 IN LIEU OF BAC5405.
 9. OPTIONAL TO DELETE RAISED LETTERING.
 10. OPTIONAL TO MACHINE FROM FORGED BLOCK, 4130 STEEL PER MIL-S-6758. MINIMUM BLOCK DIMENSIONS SHALL BE 2.30 X 3.00 X 4.10.
 11. PART TO BE FURNISHED WITHOUT HOLE LOCATION FOR 5/16 DIA BOLT.
 12. MAJOR CHARACTERISTIC:
 - A. .3112, .3112-/+ .3122 DIA HOLE THRU.
 13. USE MIL-STD-1949 WITH THESE ADDITIONAL REQUIREMENTS:
 - A. REPLACE PARAGRAPH 4.10.3 WITH "THE CONCENTRATION OF PARTICLES IN THE TEST BATH SHALL BE AS SPECIFIED IN THE WRITTEN PROCEDURE, BUT IN NO CASE OUTSIDE THE RANGE OF 0.15 ML TO 0.25 ML IN A 100 ML BATH SAMPLE FOR FLUORESCENT PARTICLES AND 1.5 TO 2.4 ML IN A 100 ML BATH SAMPLE FOR NON-FLUORESCENT PARTICLES. FLUORESCENT PARTICLES AND NON-FLUORESCENT PARTICLES SHALL NOT BE USED TOGETHER."
 - B. THE WATER BREAK TEST (PARAGRAPH 4.10.4 SHALL REQUIRE VERIFICATION ONCE PER WEEK IN LIEU OF ONCE A MONTH (AS LISTED IN TABLE 11)).
 - C. THE INSPECTION PROCESS IS TO BE FLUORESCENT, WET CONTINUOUS, DIRECT CURRENT.

14. ACCEPT/REJECT CRITERIA FOR MAGNETIC PARTICLE INSPECTION FOR FERROUS ALLOYS (NON-CRES) OF LESS THAN 180 KSI.

A. INDICATIONS OF MATERIAL DISCONTINUITIES CAUSED BY OR REVEALED BY ANY PROCESSING STEP ARE NOT ACCEPTABLE. EXAMPLES OF DISCONTINUITIES ARE: CRACKS, LAPS, COLD SHUTS, LAMINATIONS, SEAMS, TEARS, BLOWHOLES, FLAKES, FORGING BURSTS, INTRUDED SCALE, LINEAR POROSITY, PIPES, CORROSION PITS, CRAZING, GALLING. EXAMPLES OF PROCESSING STEPS INCLUDE: CASTING, FORGING, FORMING, GRINDING, HEAT TREATMENT, PLATING, WELDING, MACHINING, STRAIGHTENING.

B. INDICATIONS OF ANY LENGTH THAT EXTEND OVER OR INTO AN EDGE, CHAMFER, CORNER, RADIUS, FILLET OR HOLE ARE CAUSE FOR REJECTION.

C. DELETED.

D. PARTS EXHIBITING ARC MARKS ARE NOT ACCEPTABLE.

E. THE AGGREGATE LENGTH OF INDICATIONS CAUSED BY INCLUSIONS AND ALLOY OR METALLIC PHASE SEGREGATIONS SHALL NOT EXCEED 1.5 INCHES IN ANY 3X3 INCH AREA.

...END OF SPECIAL INSTRUCTIONS...

EXTRA EXCEPTION: BAC5482 OBSOLETE REPLACED BY BSS7015.

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA PACKAGE AVAILABILITY:

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 008599708-03248 TYPE	BASIC DATE: 2003248AMEND NR:	AMEND DT:
81205 BAC5009 TYPE	BASIC DATE: 2002044AMEND NR:	P AMEND DT: 2002044
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR:	N AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR:	N AMEND DT: 2002164
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR:	AMEND DT:
81205 69-2978 TYPE	BASIC DATE: 1956319AMEND NR:	AMEND DT:

81205 9-66862
TYPE

BASIC DATE: 1958266AMEND NR: C AMEND DT: 1958266

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = FA
CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 1994144
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
DATED 2003290
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0013 *** 1560-01-004-1786 *******

ITEM DESCRIPTION

FORMER, AIRCRAFT
BOEING CO (81205)
EXCEPTIONS: 1)USE ANSIB46.1 ILO BACD2097.
2)PART MARKING PER MIL-STD-130 METHOD PER
MIL-STD-130. 3)USE L-P-509 TY II GR LE ILO MIL-
P-79 TY FBE.
...END OF EXCEPTIONS...
EXPORT CONTROL APPLIES
AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).
TDP AVAILABILITY:
AN UNRESTRICTED TECHNICAL DATA PACKAGE IS
AVAILABLE AT DSCR FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 010041786-04099 TYPE	BASIC DATE: 2004099AMEND NR:	AMEND DT:
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1994223AMEND NR:	M AMEND DT: 1994223
81205 BAC5307 TYPE	BASIC DATE: 1999326AMEND NR:	M AMEND DT: 1999326
81205 3-84438 TYPE 3-84438	BASIC DATE: 1961116AMEND NR:	E AMEND DT: 1961116

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = XX WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = XX LEVEL PRESV =
INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1997147
PACK CODE = Z PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.
CONTRACTOR TO PACKAGE IAW
ATA 300 OR ASTM-D-3951-95
WITH MIL-STD-129 MARKINGS
INCLUDED.

Line Item 0014 *** 1560-01-020-4162 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
RIGHTS GUARD APPLIES

EXCEPTIONS:

- SPECIAL INSTRUCTIONS FOR NSN 1560-01-020-4162
DRAWING 65-13348 (NOTES: 1-6, 8,10)
DRAWING 65-27303 (NOTES: 4,7,9,11)
1. SRF-2.30 FINISH CODE DEFINED: CHEMICAL
TREAT TO MEET THE REQUIREMENTS OF MIL-C-5541,
CLASS 1A, OR ANODIZE ACCORDING TO MIL-A-8625,
TYPE I, CLASS 1. APPLY ONE COAT OF MIL-P-23377,
TYPE 1 ACCORDING TO MIL-C-22751 AND MIL-F-18264.
 2. F-2.10 FINISH CODE DEFINED: APPLY NO FINISH
EXCEPT TEMPORARY COATINGS MAY BE APPLIED AS
REQUIRED FOR PROTECTION DURING HANDLING,
TRANSPORTATION AND STORAGE ACCORDING TO BAC5034.
 3. BACD-10875 SHOULD READ D-10875.
 4. USE ASNIB46.1 IN LIEU OF BACD2097.
 5. USE MIL-G-23827 IN LIEU OF BAC5008, TYPE 2
OR MIL-G-7118.
 6. DELETE REFERENCE TO BOEING FORGING IN ZONE
C5 OF THE DRAWING.
 7. F-4.202 FINISH CODE DEFINED: CADMIUM PLATE
TO A THICKNESS OF 0.0002 TO 0.0004 INCH TO MEET
THE REQUIREMENTS OF QQ-P-416, TYPE I, CLASS 3.
 8. PART MARK PER MIL-STD-130 METHOD PER
BAC5307.
 9. DRAWING 65-13348-3 MAJOR CHARACTERISTICS:
 - A. GRAIN DIRECTION OF FORGING 65-13348-2.
 - B. ACCEPTABLE FREEDOM FROM SURFACE DEFECTS OF
FINISHED PART 65-13348-1 AS DETERMINED BY
MIL-I-6866 AND AS-3071.
 - C. 0.9985/+.9995/-.9985 DIAMETER BUSHING
INSTALLATION HOLES IN THE ATTACHMENT TANGS.

D. 0.8735/+.8763/-.8735 BUSHING INSIDE DIAMETERS AFTER INSTALLATION AND MACHINING.
E. 3.147/+3.150/-3.147 DIMENSION MEASURED FROM MACHINING REFERENCE PLANE C (SEE DRAWING ZONE D2).
F. 2.268/+.2.268/-2.265 DIMENSION MEASURED FROM MACHINING REFERENCE PLANE C (SEE DRAWING ZONE D2).

10. DRAWING 65-27303-11 AND 12 MAJOR CHARACTERISTIC: OUTSIDE DIAMETERS BEFORE AND AFTER PLATING.

11. NOTES AND SPECIFICATIONS:

A. USE MIL-I-6866 IN LIEU OF BAC5423. ACCEPTANCE CRITERIA PER AS3071 IN LIEU OF BAC5423.

B. ALUMINUM ALLOY FORGINGS 7075-T6.

C. RODS, BARS AND FORGINGS - ALUMINUM BRONZE.

...END OF SPECIAL INSTRUCTIONS...

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).

ORIGIN INSPECTION REQUIRED

TECHNICAL DATA AVAILABILITY

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 010204162-02248 TYPE	BASIC DATE: 2002248AMEND NR:	AMEND DT:
81205 BAC5008 TYPE	BASIC DATE: 1993042AMEND NR:	R AMEND DT: 1993042
81205 BAC5008 TYPE	BASIC DATE: 2001032AMEND NR:	R AMEND DT: 2001032
81205 BAC5034 TYPE	BASIC DATE: 1993204AMEND NR:	M AMEND DT: 1993204
81205 BAC5034 TYPE	BASIC DATE: 1999214AMEND NR:	M AMEND DT: 1999214
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1994223AMEND NR:	M AMEND DT: 1994223
81205 BAC5307 TYPE	BASIC DATE: 1999326AMEND NR:	M AMEND DT: 1999326
81205 BAC5423 TYPE	BASIC DATE: 1998142AMEND NR:	W AMEND DT: 1998142
81205 BAC5423 TYPE	BASIC DATE: 1999245AMEND NR:	W AMEND DT: 1999245

81205 BSS7015 BASIC DATE: 1989298AMEND NR: AMEND DT:
 TYPE
 81205 65-13348 BASIC DATE: 1997008AMEND NR: C AMEND DT: 1997008
 TYPE
 81205 65-13348 BASIC DATE: 1939001AMEND NR: C AMEND DT: 1939001
 TYPE 65-13348-3
 81205 65-27303 BASIC DATE: 1977294AMEND NR: C AMEND DT: 1977294
 TYPE

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
 INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004141
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
 DATED 2003290
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0015 *** 1560-01-021-5500 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
 RIGHTS GUARD APPLIES
 THE FOLLOWING EXCEPTIONS APPLY:1) PART MARK PER
 MIL-STD-130 METHOD PR AS478-30 ILO BAC5307.
 2)DEL REF TO BAC5005 AND D2-5000. 3)SURFACE
 ROUGHNESS PER ASMEB46.1 ILO BACD2097. 4)FINISH
 CODE F-1.1927 DEFINED: CADMIUM PLATE TO MEET THE
 REQUIREMENTS OF QQ-P-416, TYPE II, CLASS 3. BAKE
 5 TO 8 HOURS MINIMUM AT 275 DEGREES PLUS OR
 MINUS 25F. 5)DEL REF TO "LOCATE TOMATCH 65-
 19489". 6)USE AMS6484 ILO MIL-S-5000. 7)USE
 MIL-H-6875 ILO BAC5617. 8)MAJOR CHARACTERISTICS:
 3.299/+3.301/TO -3.299 DIAMETER.
 9)FINISH CODE SRF-12.206 DEFINED: APPLY TWO
 COATS EPOXY PRIMER MIL-P-23377 IN ACCORDANCE
 WITH MIL-F-18264 AND MANUFACTURERS APPLICATION
 INSTRUCTIONS.
 ...END OF EXCEPTIONS...

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
 EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
 RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
 DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
 CONFIGURATION CONTROL APPLIES
 SEE CLAUSE 52.246-9G36 (SECTION I).

TECHNICAL DATA AVAILABILITY

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 010215500-04009 TYPE	BASIC DATE: 2004009AMEND NR:	AMEND DT:
81205 BAC5424 TYPE	BASIC DATE: 1983115AMEND NR:	U AMEND DT: 1983115
81205 BAC5424 TYPE	BASIC DATE: 1999245AMEND NR:	U AMEND DT: 1999245
81205 69-15401 TYPE 69-15401-3	BASIC DATE: 1978150AMEND NR:	C AMEND DT: 1978150

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = XX WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = XX LEVEL PRESV =
 INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1999140
 PACK CODE = Z PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
 DATED 1997212
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.
 CONTRACTOR TO PACKAGE IAW
 ATA 300 OR ASTM-D-3951-95
 WITH MIL-STD-129 MARKINGS
 INCLUDED.

Line Item 0016 ***** 1560-01-027-1682 *****

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
 RIGHTS GUARD APPLIES
 SPECIAL INSTRUCTIONS FOR NSN 1560-01-027-1682
 1. FINISH CODE SRF-2.30 DEFINED; CHEMICAL TREAT
 TO MEET THE REQUIREMENTS OF MIL-C-5541, CL 1A
 OR ANODIZE ACCORDING TO MIL-A-8625, TY 1 CL 1.
 APPLY ONE COAT OF MIL-P-23377, TY 1 ACCORDING
 TO THE MANUFACTURERS APPLICATION INSTRUCTIONS
 AND MIL-F-18264.
 2. USE ASTM E1417 IN LIEU OF BAC5423.
 3. SURFACE ROUGHNESS PER ANSIB46.1 IN LIEU OF
 BACD2097.
 4. PART MARK PER MIL-STD-130, METHOD PER BAC5307
 5. DELETE REFERENCE TO BAC 5005
 6. FINISH CODE F-2.10 DEFINED; APPLY NO FINISH,
 EXCEPT TEMPORARY COATINGS FOR PROTECTION
 DURING HANDLING, TRANSPORTATION AND STORAGE TO
 BAC5034, TYPE 111, CLASS 2, GRADE A
 7. USE BSS7017 IN LIEU OF BAC5482

8. DELETE THE WORD "BOEING" FROM FORGING
PART MARKINGS.

...END OF SPECIAL INSTRUCTIONS...

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA AVAILABILITY

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA
PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 010271682-04112 TYPE	BASIC DATE: 2004112AMEND NR:	AMEND DT:
81205 BAC5034 TYPE	BASIC DATE: 1993204AMEND NR:	M AMEND DT: 1993204
81205 BAC5034 TYPE	BASIC DATE: 1999214AMEND NR:	M AMEND DT: 1999214
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR:	N AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR:	N AMEND DT: 2002164
81205 BMS7-186J TYPE	BASIC DATE: 1999118AMEND NR:	J AMEND DT: 1999118
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR:	AMEND DT:
81205 D-10875 TYPE	BASIC DATE: 1967248AMEND NR:	P AMEND DT: 1967248
81205 65-6384 TYPE	BASIC DATE: 1986077AMEND NR:	B AMEND DT: 1986077
81205 65-6385 TYPE	BASIC DATE: 1939001AMEND NR:	C AMEND DT: 1939001
81205 65-6385 TYPE 65-6385-3	BASIC DATE: 1978107AMEND NR:	C AMEND DT: 1978107

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991

QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX

CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =

INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1998166

PACK CODE = E PACKING LEVEL = A

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL

MARKING CODE: 00 - NO SPECIAL MARKING.

PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B

DATED 1997212

SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0017 ***** 1560-01-037-8401 *****

ITEM DESCRIPTION

SUPPORT, STRUCTURAL COMPONENT, AIRCRAFT
RIGHTS GUARD APPLIES

EXCEPTIONS:

SPECIAL INSTRUCTIONS FOR NSN 1560-01-037-8401
DRAWING 6-68450

1. USE ALUM ALLOY 7075-T6 EXTRUDED PER QQ-A-200
AND QQ-A-200/11 T6 TEMP IN LIEU OF 7075-T6 EXTR
QQ-A-277 T6 TEMP.
2. USE MIL-G-23827 IN LIEU OF BAC5008 TYPE I
APPLY GREASE PER BAC5008.
3. FINISH CODE SRF-2.30 DEFINED: CHEMICAL
TREAT TO MEET THE REQUIREMENTS OF MIL-C-5541,
CLASS 1A OR ANODIZE ACCORDING TO MIL-A-8625
TYPE IB, CLASS 1. APPLY ONE COAT OF MIL-P-23377
TYPE I ACCORDING TO MIL-C-22751 AND MIL-F-18264.
4. FINISH CODE F-12.42 DEFINED: INSTALL
ANTI-FRICTION (ROLLING ELEMENT) AND FRICTION
(SLIDING ELEMENT) BEARING WITH A THIN FILM OF
MIL-G-23827 GREASE APPLIED TO MATING SURFACE OF
BEARING AND HOUSING ACCORDING TO BAC5008.
5. SURFACE ROUGHNESS PER ANSIB46.1 IN LIEU OF
BACD2097.
6. PART MARK PER MIL-STD-130 METHOD PER
BAC5307.
7. DELETE REFERENCE TO BAC5005.
8. DELETE TO MATCH 9-60365, 9-60366, 69-1353.
LOCATE HOLES PER DRAWING DIMENSIONS.
9. USE NAS516-1A IN LIEU OF NAS516.1.
10. OPTIONAL TO USE MS28914-5C IN LIEU OF
BACB10C78Y.
11. MAJOR CHARACTERISTICS:
 - A. 1.5609/+1.5617/-1.5609 DIA HOLE.
 - B. REAM .1250/+ .1235/- .1250 DIA.
 - C. .2495/+ .2505/- .2495 DIA HOLE (2 PLACES)....END OF SPECIAL INSTRUCTIONS...

ADDITIONAL EXCEPTION:

BACB10C78Y IS INACTIVE FOR DESIGN & PROCUREMENT
PER ENGINEERING: USE BEARING P/N MS28914-5C
EXPORT CONTROL APPLIES
AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).
ORIGIN INSPECTION REQUIRED

TECH DATA PACKAGE AVAILABILITY:
 A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA
 PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 010378401-03302 TYPE	BASIC DATE: 2003302AMEND NR:	AMEND DT: 2003302
81205 BAC1520 TYPE	BASIC DATE: 2000118AMEND NR: AM	AMEND DT: 2000118
81205 BAC1520 TYPE	BASIC DATE: 1985025AMEND NR: AD	AMEND DT: 1985025
81205 BAC5008 TYPE	BASIC DATE: 2001032AMEND NR: R	AMEND DT: 2001032
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR: K	AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR: N	AMEND DT: 2002164
81205 BAC5435 TYPE	BASIC DATE: 2001332AMEND NR: V	AMEND DT: 2001332
81205 BAC5435 TYPE	BASIC DATE: 2001325AMEND NR: V	AMEND DT: 2001325
82918 ST932 TYPE	BASIC DATE: 1975052AMEND NR: G	AMEND DT: 1975052
82918 ST932-R TYPE	BASIC DATE: 1986104AMEND NR: K	AMEND DT: 1986104
82918 6-68450 TYPE	BASIC DATE: 1989025AMEND NR: F	AMEND DT: 1989025
82918 6-68450 TYPE 6-68450-3000	BASIC DATE: 1986350AMEND NR: F	AMEND DT: 1986350

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNES = X UNIT CONT = D3 LEVEL PRESV =
 INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004142
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
 DATED 2003290
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0018 *** 1560-01-039-9205 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
 RIGHTS GUARD APPLIES
 SPECIAL INSTRUCTIONS FOR NSN 1560-01-039-9205
 DWG 65-6428 NOTES: 1-5,8
 DWG 5-89562 NOTES: 1-4, 6,7
 1.PART MARK PER MIL-STD-130, MEHTOD PER BAC5307
 2.SURFACE TEXTURE PER ASME B46.1 I/L/O BACD2097

3.DIMENSIONS AND TOLERANCES PER ASME Y14.5M
 4.DELETE REFERENCE TO BAC5005 AND D2-5000
 5.FINISH CODE F-2.30 DEFINED: CHEMICAL TREAT TO MIL-C-5541, CLASS 1A OR ANODIZE TO MEET MIL-A-8625, TYPE I, CLASS 1. APPLY ONE COAT OF MIL-P-23377, TYPE I, CLASS C PER THE MFR'S APPLICATION INSTRUCTIONS AND MIL-F-18264.
 6.DIMENSION CONTROL OF FORGING PER BSS7015 I/L/O BAC5405.
 7.OPTIONAL TO DELETE RAISED LETTERING ON FORGING
 8.MAJOR CHARACTERISTICS: 4 PLACE DIAMETER DIMENSIONS.

...END OF SPECIAL INSTRUCTIONS...

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

ORIGIN INSPECTION REQUIRED

TECH DATA AVAILABILITY

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 010399205-03255 TYPE	BASIC DATE: 2003255AMEND NR:	AMEND DT:
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5423 TYPE	BASIC DATE: 1998142AMEND NR:	W AMEND DT: 1998142
81205 BAC5423 TYPE	BASIC DATE: 1999245AMEND NR:	W AMEND DT: 1999245
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR:	AMEND DT:
81205 D-10875 TYPE	BASIC DATE: 1967248AMEND NR:	P AMEND DT: 1967248
81205 5-89562 TYPE	BASIC DATE: 1976209AMEND NR:	F AMEND DT: 1976209
81205 65-6428 TYPE 65-6428-2	BASIC DATE: 1964310AMEND NR:	D AMEND DT: 1964310

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991

QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX

CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =

INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004145

PACK CODE = E PACKING LEVEL = A

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
 DATED 2003290

SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0019 *** 1560-01-068-7962 *******

ITEM DESCRIPTION

FITTING, STRUCTUAL C
 RIGHTS GUARD APPLIES
 THE FOLLOWING SPECIAL INSTRUCTIONS APPLY: 1) PART
 MARKING PER MIL-STD-130, METHOD PER BAC5307. 2)
 SURFACE TEXTURE PER ASMEB46.1 ILO BACD2097. 3)
 DIM & TOL PER ASMEY14.5M ILO ANSIY14.5. 4) FIN
 CODE SRF-1.285 DEF: CADMIUM PLATE TO MEET THE
 REQMTS OF AMS-QQ-P-416, TY II, CL 2. BAKE 3 HRS.
 MIN AT 375, PLUS OR MINUS 25F. APPLY ONE COAT OF
 BMS10-11, TY I, ACCORDING TO BAC5736. 6) HEAT
 TREAT PER AMS-H-6875 ILO BAC5617 & MIL-H-6875.
 7) 4140 STEEL PER AMS6382 ILO MIL-S-5626.

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
 EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
 RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
 DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
 CONFIGURATION CONTROL APPLIES
 SEE CLAUSE 52.246-9G36 (SECTION I).
 TECHNICAL DATA AVAILABILITY
 A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA
 PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 010687962-01129 TYPE	BASIC DATE: 2001129AMEND NR:	AMEND DT:
81205 BACD2023 TYPE	BASIC DATE: 1989254AMEND NR:	B AMEND DT: 1989254
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1994223AMEND NR:	M AMEND DT: 1994223
81205 BAC5307 TYPE	BASIC DATE: 1999326AMEND NR:	M AMEND DT: 1999326
81205 BAC5736 TYPE	BASIC DATE: 1988356AMEND NR:	R AMEND DT: 1988356
81205 BAC5736 TYPE	BASIC DATE: 1998072AMEND NR:	R AMEND DT: 1998072
81205 BMS10-11V TYPE	BASIC DATE: 1994187AMEND NR:	V AMEND DT: 1994187

81205 BMS10-11V BASIC DATE: 1999004AMEND NR: F AMEND DT: 1999004
 TYPE
 81205 69-17017 BASIC DATE: 1983251AMEND NR: B AMEND DT: 1983251
 TYPE 69-17017-1
 81205 69-17017 BASIC DATE: 1983300AMEND NR: AMEND DT:
 TYPE

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = D3 LEVEL PRESV =
 INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 2001130
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
 DATED 1997212
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0020 *** 1560-01-108-1295 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
 EXCEPTIONS TO DWG 204-70011 REV D
 1.PART MARK PER MIL-STD-130, METHOD PER BAC5307
 2.SURFACE TEXTURE PER ASME B46.1 I/L/O BACD2097
 3.DIMENSIONS AND TOLERANCES PER ASME Y14.5M
 4.DELETE REFERENCE TO D2-5000 AND BAC5005
 5.FINISH CODE SRF-2.30 DEFINED: CHEMICAL TREAT
 TO MEET AMS-C-5541 CLASS 1A OR ANODIZE PER
 AMS-A-8625, TYPE I CLASS 1. APPLY ONE COAT OF
 MIL-PRF-23377 TYPE I CLASS C PRIMER PER THE
 MFR'S APPLICATION INSTRUCTIONS & MIL-F-18264.
 6.2024 CLAD ALUMINUM PER AMS-QQ-A-250/5 I/L/O
 QQ-A-250/5
 7.HEAT TREAT ALUMINUM PER AMS2770 & AMS-H-6088
 I/L/O BAC5602 AND MIL-H-6088
 8.PART TO BE FURNISHED WITHOUT FASTENER OR
 RIVET HOLES.
 ...END OF SPECIAL INSTRUCTIONS...
 GOVERNMENT FURNISHED MYLARS
 NOTE: A STABLE BASE DRAWING FORMS A PART OF
 THE DATA PACKAGE REQUIRED FOR PERFORMANCE AND
 AS SUCH WILL BE FORWARDED TO THE SUCCESSFUL
 OFFEROR WITHIN 30 DAYS AFTER AWARD OF THE
 CONTRACT.

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
 EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
 RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
 DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

ORIGIN INSPECTION REQUIRED

13873 QAP-008	BASIC DATE: 1997152AMEND NR:	AMEND DT:
TYPE		
13873 011081295-03226	BASIC DATE: 2003226AMEND NR:	AMEND DT: 2003226
TYPE		
81205 BAC5300	BASIC DATE: 1986301AMEND NR: K	AMEND DT: 1986301
TYPE		
81205 BAC5300	BASIC DATE: 2000040AMEND NR: K	AMEND DT: 2000040
TYPE		
81205 BAC5307	BASIC DATE: 1998194AMEND NR: N	AMEND DT: 1998194
TYPE		
81205 BAC5307	BASIC DATE: 2002164AMEND NR: N	AMEND DT: 2002164
TYPE		
81205 204-70011	BASIC DATE: 1984160AMEND NR: D	AMEND DT: 1984160
TYPE 204-70011-20		
81205 204-70011	BASIC DATE: 1939001AMEND NR: D	AMEND DT: 1939001
TYPE		
81205 204-70011	BASIC DATE: 1988140AMEND NR: F	AMEND DT: 1988140
TYPE		

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991

QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX

CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = D3 LEVEL PRESV =

INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004147

PACK CODE = E PACKING LEVEL = A

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL

MARKING CODE: 00 - NO SPECIAL MARKING.

PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C

DATED 2003290

SUPPLEMENTAL INSTRUCTIONS

SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,

FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0021 *** 1560-01-131-6134 *******

ITEM DESCRIPTION

FITTING, STRUCTURAL C

RIGHTS GUARD APPLIES

EXCEPTIONS:

SPECIAL INSTRUCTIONS FOR NSN: 1560-01-131-6134

DWG 65-23375 (NOTES: 1-13)

1. PART MARKING PER MIL-STD-130, METHOD PER

BAC5307.

2. SURFACE TEXTURE PER ASMEB46.1 IN LIEU OF

BACD2097.

3. DIMENSIONING AND TOLERANCING PER ASMEY14.5M

IN LIEU OF MIL-STD-8.

4. DELETE REFERENCE TO BAC5005 AND D2-5000.

5. FINISH CODE F-2.10 DEFINED: APPLY ONLY TEMPORARY COATING TO PROVIDE PROTECTION DURING HANDLING, TRANSPORTATION AND STORAGE ACCORDING TO BAC5034.
6. HEAT TREAT ALUMINUM PER AMS2770 AND AMS-H-6088 IN LIEU OF BAC5602 AND MIL-H-6088.
7. BAC-D-10875 SHOULD READ D-10875.
8. FINISH CODE SRF-2.30 DEFINED: CHEMICAL TREAT TO MEET THE REQUIREMENTS OF MIL-C-5541, CLASS 1A, OR ANODIZE ACCORDING TO MIL-A-8625, TYPE I, CLASS 1. APPLY ONE COAT MIL-PRF-23377, TYPE I, CLASS C PRIMER ACCORDING TO MANUFACTURERS APPLICATION INSTRUCTIONS AND MIL-F-18264.
9. FINISH CODE SRF-12.207 DEFINED: APPLY ONE COAT OF MIL-PRF-23377, TYPE I, CLASS C, ACCORDING TO MANUFACTURERS APPLICATION INSTRUCTIONS AND MIL-F-18264, TO EACH FAYING SURFACE OR TO THE SURFACE INDICATED. OVERSPRAY ONTO ADJACENT SURFACES IS PERMITTED.
10. OPTIONAL TO DELETE RAISED LETTERING FROM FORGING.
11. PART TO BE FURNISHED WITHOUT RIVET HOLES.
12. OPTIONAL 7075-T73 EXTRUDED BAR PER AMS-QQ-A-200A AND AMS-QQ-A-200/11 IN LIEU OF BMS7-180.
13. MAJOR CHARACTERISTIC: FOUR PLACE DIMENSION. ...END OF SPECIAL INSTRUCTIONS...
EXPORT CONTROL APPLIES
AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).
TECHNICAL DATA AVAILABILITY
A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 011316134-04208 TYPE	BASIC DATE: 2004208AMEND NR:	AMEND DT:
81205 BACB10M TYPE	BASIC DATE: 1997169AMEND NR:	L AMEND DT: 1997169
81205 BAC5034 TYPE	BASIC DATE: 1993204AMEND NR:	M AMEND DT: 1993204
81205 BAC5034 TYPE	BASIC DATE: 1999214AMEND NR:	M AMEND DT: 1999214
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1994223AMEND NR:	M AMEND DT: 1994223

81205 BAC5307 TYPE	BASIC DATE: 1999326AMEND NR: M AMEND DT: 1999326
81205 BAC5423 TYPE	BASIC DATE: 1998142AMEND NR: W AMEND DT: 1998142
81205 BAC5423 TYPE	BASIC DATE: 1999245AMEND NR: W AMEND DT: 1999245
81205 BAC5435 TYPE	BASIC DATE: 2001332AMEND NR: U AMEND DT: 2001332
81205 BAC5435 TYPE	BASIC DATE: 1999223AMEND NR: U AMEND DT: 1999223
81205 BAC5439 TYPE	BASIC DATE: 1987265AMEND NR: H AMEND DT: 1987265
81205 BAC5439 TYPE	BASIC DATE: 1987042AMEND NR: H AMEND DT: 1987042
81205 BAC5730 TYPE	BASIC DATE: 1999224AMEND NR: N AMEND DT: 1999224
81205 BAC5730 TYPE	BASIC DATE: 1999208AMEND NR: N AMEND DT: 1999208
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR: AMEND DT:
81205 D-10875 TYPE	BASIC DATE: 1967248AMEND NR: P AMEND DT: 1967248
81205 65-23375 TYPE 65-23375-5	BASIC DATE: 1984333AMEND NR: D AMEND DT: 1984333

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = D3 LEVEL PRESV =
 INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004147
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
 DATED 2003290
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0022 *** 1560-01-144-4985 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL COMPONENT, AIRCRAFT
 EXCEPTIONS:
 SPECIAL INSTRUCTIONS FOR NSN: 1560-01-144-4985
 PART NUMBER: 5-97088
 1. INSPECT CASTINGS PER LATEST REVISION OF
 MIL-C-6021, CLASS 4, GRADE D.
 2. USE ANSIB46.1 IN LIEU OF BACD2097.
 3. USE BAC5811 AND BMS3-8 IN LIEU OF BMS3-3.
 4. USE BAC5482 IN LIEU OF BAC5405.
 5. OPTIONAL TO USE 6061-T6 ALUM PER
 QQ-A-200/8 OR QQ-A-225/8 IN LIEU OF 356-T6
 ALUMINUM.

6. PART MARK PER MIL-STD-130 METHOD PER BAC5307.
7. USE 32-2727 IN LIEU OF BAC5005.
8. USE BAC5591 IN LIEU OF BAC5500.
...END OF SPECIAL INSTRUCTIONS...
DELETE REFERENCE TO 32-2727 AND BAC5005.
CORRECTION TO 4. ABOVE IS: 4. USE BSS7015 IN LIEU OF BAC5405.
USE BAC5591 IN LIEU OF BAC5500.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).
EXPORT CONTROL APPLIES
AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

TECH DATA PACKAGE AVAILABILITY:
AN UNRESTRICTED TECHNICAL DATA PACKAGE IS AVAILABLE AT DSCR FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 011444985-04099 TYPE	BASIC DATE: 2004099AMEND NR:	AMEND DT:
81205 BAC5001 TYPE	BASIC DATE: 1995193AMEND NR:	K AMEND DT: 1995193
81205 BAC5001 TYPE	BASIC DATE: 1990235AMEND NR:	K AMEND DT: 1990235
81205 BAC5004 TYPE	BASIC DATE: 1995347AMEND NR:	K AMEND DT: 1995347
81205 BAC5004 TYPE	BASIC DATE: 1994056AMEND NR:	K AMEND DT: 1994056
81205 BAC5009 TYPE	BASIC DATE: 1993173AMEND NR:	R AMEND DT: 1993173
81205 BAC5009 TYPE	BASIC DATE: 2003093AMEND NR:	R AMEND DT: 2003093
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR:	N AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR:	N AMEND DT: 2002164
81205 BAC5591 TYPE	BASIC DATE: 1996319AMEND NR:	D AMEND DT: 1996319
81205 BAC5591 TYPE	BASIC DATE: 1990158AMEND NR:	D AMEND DT: 1990158
81205 BAC5602 TYPE	BASIC DATE: 1969321AMEND NR:	AF AMEND DT: 1969321
81205 BAC5602 TYPE	BASIC DATE: 2001240AMEND NR:	AF AMEND DT: 2001240
81205 BAC5811 TYPE	BASIC DATE: 1996277AMEND NR:	U AMEND DT: 1996277

81205 BAC5811 BASIC DATE: 1997356AMEND NR: U AMEND DT: 1997356
TYPE

81205 BAC5811U BASIC DATE: 2002161AMEND NR: G AMEND DT: 2002161
TYPE

81205 BMS3-8F BASIC DATE: 2003281AMEND NR: F AMEND DT: 2003281
TYPE

81205 BMS3-8F BASIC DATE: 2003281AMEND NR: AMEND DT:
TYPE

81205 BSS7015 BASIC DATE: 1989298AMEND NR: AMEND DT:
TYPE

81205 D2-5000 BASIC DATE: 2002024AMEND NR: CG AMEND DT: 2002024
TYPE

81205 5-87164 BASIC DATE: 1964171AMEND NR: K AMEND DT: 1964171
TYPE

81205 5-97088 BASIC DATE: 1963354AMEND NR: E AMEND DT: 1963354
TYPE

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 1992140
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
DATED 2003290
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0023 *** 1560-01-146-7553 *******

ITEM DESCRIPTION

FORMER, AIRCRAFT

EXCEPTIONS:

- 1) PART MARK PER MIL-STD-130 METHOD PER BAC5307.
 - 2) SURFACE TEXTURE PER ASME B46.1 ILO BACD2097.
 - 3) DIMENSIONING AND TOLERANCING PER ASME Y14.5M.
 - 4) DELETE REFERENCE TO BAC5005, D6-5000 AND D2-5000.
 - 5) FINISH CODE SRF-2.30 DEFINED: CHEMICAL TREAT PER MIL-C-5541 CL 1A OR ANODIZE PER MIL-A-8625 TY I CL 1. APPLY ONE COAT MIL-P-23377 TY I CL C PRIMER PER MFR'S APPLICATION INSTRUCTIONS AND MIL-F-18264.
 - 6) 2024 ALUM PER AMS-QQ-A-250 AND AMS-QQ-A-250/5A ILO QQ-A-250/5.
 - 7) PART TO BE FURNISHED WITHOUT FASTENER OR RIVET HOLES.
- MARK IAW MIL-STD-130K, DATED 15 JAN 00.
CONFIGURATION CONTROL APPLIES
SEE CLAUSE 52.246-9G36 (SECTION I).

EXPORT CONTROL APPLIES (TDP AVAILABILITY)
 AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
 EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
 RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
 DEFENSE LOGISTICS SERVICE CENTER.

GOV FURNISHED MYLAR APPLIES:

NOTE: A STABLE BASE DRAWING FORMS A PART OF
 THE DATA PACKAGE REQUIRED FOR PERFORMANCE AND
 AS SUCH WILL BE FORWARDED TO THE SUCCESSFUL
 OFFEROR WITHIN 30 DAYS AFTER AWARD OF THE
 CONTRACT.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 011467553-00006 TYPE	BASIC DATE: 2000006AMEND NR:	AMEND DT:
81205 BAC5300 TYPE	BASIC DATE: 1989318AMEND NR:	J AMEND DT: 1989318
81205 BAC5300 TYPE	BASIC DATE: 1999189AMEND NR:	J AMEND DT: 1999189
81205 BAC5307 TYPE	BASIC DATE: 1998165AMEND NR:	L AMEND DT: 1998165
81205 BAC5307 TYPE	BASIC DATE: 1998099AMEND NR:	L AMEND DT: 1998099
81205 204-70099 TYPE 204-70099-36	BASIC DATE: 1982201AMEND NR:	K AMEND DT: 1982201

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
 QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
 CUSH/DUNN MAT = XX CUSH/DUNN THKNESS = X UNIT CONT = A1 LEVEL PRESV =
 INTRMDT CONT = D3 INTRMDT CONT QTY = AAA CONV DT = 2000007
 PACK CODE = E PACKING LEVEL = A
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
 MARKING CODE: 00 - NO SPECIAL MARKING.
 PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
 DATED 1997212
 SUPPLEMENTAL INSTRUCTIONS
 SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
 FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0024 *** 1560-01-176-8577 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
 RIGHTS GUARD APPLIES:
 EXCEPTIONS FOR DWG 64-8328, REV AE
 1. PART MARK IAW MIL-STD-130, I/L/O BAC 5307.
 2. DELETE REFERENCE TO D2-5000 & BAC5005.
 3. DIMENSIONS & TOLERANCES PER ASME Y14.5M
 IN LIEU OF MIL-STD-8.
 4. USE SAE AMS-QQ-A-250 & SAE AMS-QQ-A-250/5 IN
 LIEU OF QQ-A-362, FOR 2024 ALUMINUM ALCLAD.
 5. HEAT TREAT TO T42 I/L/O T4.

6. DEFINE FINISH CODE SRF-2.115: CHEMICAL TREAT ACCORDING TO SAE AMS-C-5541, CLASS 1A OR ANODIZE ACCORDING TO SAE AMS-A-8625, TY I, CL 1. APPLY ONE COAT OF MIL-PRF-23377G, TY I, PRIMER ACCORDING TO MFGRS APPLICATION INSTRUCTIONS AND MIL-F-18264.

7. USE SAE 2770 & SAE AMS 2772 I/L/O BAC5602.
8. PART FURNISHED W/O RIVETS & FASTENER HOLES.

..END OF SPECIAL INSTRUCTIONS..

GOV. FURNISHED MYLARS

NOTE: A STABLE BASE DRAWING FORMS A PART OF THE DATA PACKAGE REQUIRED FOR PERFORMANCE AND AS SUCH WILL BE FORWARDED TO THE SUCCESSFUL OFFEROR WITHIN 30 DAYS AFTER AWARD OF THE CONTRACT.

EXPORT CONTROL APPLIES:

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA AVAILABILITY:

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 011768577-02123 TYPE	BASIC DATE: 2002123AMEND NR:	AMEND DT: 2002123
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1994223AMEND NR:	M AMEND DT: 1994223
81205 BAC5307 TYPE	BASIC DATE: 1999326AMEND NR:	M AMEND DT: 1999326
81205 64-8326 TYPE	BASIC DATE: 1997211AMEND NR:	F AMEND DT: 1997211
81205 64-8328 TYPE 64-8328-229	BASIC DATE: 1988294AMEND NR:	AE AMEND DT: 1988294

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991

QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX

CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =

INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2001360

PACK CODE = E PACKING LEVEL = A

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL

MARKING CODE: 00 - NO SPECIAL MARKING.

PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B

DATED 2001290

SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0025 ***** 1560-01-177-4348 *****

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
RIGHTS GUARD APPLIES
THE FOLLOWING SPECIAL INSTRUCTIONS APPLY: 1) PART
MARKING PER MIL-STD-130, METHOD PER BAC5307. 2)
SURFACE TEXTURE PER ASMEB46.1 ILO BACD2097. 3)
DIM & TOL PER ASMEY14.5M. 4) DEL REF TO BAC5005
& D2-5000. 5) CASTING INSPECTION PER AMS-STD-
2175 ILO MIL-C-6021F & D-13169. 6) OPT TO DEL
RAISED LETTERING ON CASTING. 7) DEL REF TO LOCATE
TO MATCH 65-57051. MATING PARTS WILL NOT BE FUR-
NISHED. 8) DIM CONTROL OF CASTING PER GSS7015 ILO
BAC5405. 9) 2024 ALUM PER AMS-QQ-A-225A & AMS-QQ-
A-225/6A ILO QQ-A-225/6. 10) FIN CODE F-2.20 DE-
FINED: ANODIZE ACCORDING TO MIL-A-8625, F TYPE I
CLASS 1.

...END OF EXCEPTIONS...

EXPORT CONTROL APPLIES

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP
EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE
RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY
DEFENSE LOGISTICS SERVICE CENTER.

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

ORIGIN INSPECTION REQUIRED

13873 QAP-008 TYPE	BASIC DATE: 1997152AMEND NR:	AMEND DT:
13873 011774348-03297 TYPE	BASIC DATE: 2003297AMEND NR:	AMEND DT:
81205 BAC5049 TYPE	BASIC DATE: 1990024AMEND NR:	H AMEND DT: 1990024
81205 BAC5049 TYPE	BASIC DATE: 1996141AMEND NR:	H AMEND DT: 1996141
81205 BAC5300 TYPE	BASIC DATE: 1986301AMEND NR:	K AMEND DT: 1986301
81205 BAC5300 TYPE	BASIC DATE: 2000040AMEND NR:	K AMEND DT: 2000040
81205 BAC5307 TYPE	BASIC DATE: 1998194AMEND NR:	N AMEND DT: 1998194
81205 BAC5307 TYPE	BASIC DATE: 2002164AMEND NR:	N AMEND DT: 2002164
81205 BAC5423 TYPE	BASIC DATE: 1998142AMEND NR:	W AMEND DT: 1998142
81205 BAC5423 TYPE	BASIC DATE: 1999245AMEND NR:	W AMEND DT: 1999245
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR:	AMEND DT:

81205 65-69943
TYPE 65-69943-1

BASIC DATE: 1986027AMEND NR: B AMEND DT: 1986027

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = 00 INTRMDT CONT QTY = 000 CONV DT = 2004149
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV C
DATED 2003290
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.

Line Item 0026 *** 1560-01-177-4353 *******

ITEM DESCRIPTION

SUPPORT, STRUCTURAL
RIGHTS GUARD APPLIES

EXCEPTIONS:

SPECIAL INSTRUCTIONS FOR NSN 1560-01-177-4353
DRAWING 65-68624

1. DELETE REFERENCE TO BAC5005.
2. PART MARK PER MIL-STD-130 METHOD PER BAC5307.
3. F8.05 FINISH CODE DEFINED: APPLY NO FINISH.
4. F8.07 FINISH CODE DEFINED: PREPARE SURFACE AND PASSIVATE TO MEET THE REQUIREMENTS OF QQ-P-35.
5. USE ASTM E1444 IN LIEU OF MIL-STD-1949 AND ANY ADDITIONAL REQUIREMENTS IDENTIFIED IN THE ENGINEERING INSTRUCTION. THE ACCEPT/REJECT CRITERIA ARE DOCUMENTED IN THE ENGINEERING INSTRUCTIONS.
6. USE ANSIB46.1 IN LIEU OF BACD2097J.
7. USE MIL-H-6875 IN LIEU OF BAC5619.
8. USE ASTM E1444 IN LIEU OF MIL-STD-1949.
9. ACCEPT/REJECT CRITERIA FOR MAGNETIC PARTICLE INSPECTION FOR PRECIPITATION HARDNESS CRES OF 180 KSI TO 260 KSI.
 - A. INDICATIONS OF MATERIAL DISCONTINUITIES CAUSED BY OR REVEALED BY ANY PROCESSING STEP ARE NOT ACCEPTABLE. EXAMPLES OF DISCONTINUITIES ARE: CRACKS, LAPS, COLD SHUTS, LAMINATIONS, SEAMS, TEARS, BLOWHOLES, FLAKES, FORGING BURSTS, INTRUDED SCALE, LINEAR POROSITY, PIPES, CORROSION PITS, CRAZING AND GALLING. EXAMPLES OF PROCESSING STEPS INCLUDE: CASTING, FORGING, FORMING, GRINDING, HEAT TREATMENT, PLATING, WELDING, MACHINING AND STRAIGHTENING.

B. INDICATIONS OF ANY LENGTH THAT EXTEND OVER OR INTO AN EDGE, CHAMFER, CORNER, RADIUS, FILLET OR HOLE ARE CAUSE FOR REJECTION.

C. PARTS EXHIBITING ARC MARKS ARE NOT ACCEPTABLE.

D. ANY INDICATIONS DUE TO INCLUSIONS AND ALLOY OR METALLIC PHASE SEGREGATION EXCEEDING THE FOLLOWING LENGTH LIMITS ARE NOT ACCEPTABLE.

THREADED AREA SURFACE .20 INCH

SUBSURFACE .30 INCH.

OTHER AREAS SURFACE .40 INCH

SUBSURFACE .60 INCH.

E. ADJACENT OR IN-LINE INDICATIONS 1/4 INCH OR LESS APART ARE CONSIDERED AS ONE INDICATION WITH A LENGTH EQUAL TO THE SUM OF THE INDIVIDUAL LENGTHS PLUS 1/2 THE TOTAL INTERVENING DISTANCE.

F. WHEN IT CANNOT BE DETERMINED BY MAGNETIC PARTICLE INSPECTION AND VISUAL INSPECTION WHETHER A DISCONTINUITY IS OF THE TYPE(S) PREVIOUSLY DISCUSSED, THE PART SHALL BE PROCESSED AS FOLLOWS:

A. MARK THE LOCATION OF THE MAGNETIC PARTICLE INDICATION.

B. PENETRANT INSPECT THE MARKED AREA PER MIL-STD-6866 TYPE I, LEVEL 4, METHOD C.

C. FAILURE OF PENETRANT INSPECTION TO CONFIRM THE MAGNETIC PARTICLE INSPECTION DISCONTINUITY SHALL BE TAKEN AS EVIDENCE THAT THE DISCONTINUITY IS A SUBSURFACE INCLUSION AS LISTED IN PARAGRAPH D.

D. DISCONTINUITIES REVEALED BY BOTH MAGNETIC PARTICLE AND PENETRANT INSPECTIONS SHALL BE CLASSIFIED AS ONE OF THE TYPE(S) IN PARAGRAPH A OR AS SURFACE INCLUSIONS (PARAGRAPH D).

...END OF SPECIAL INSTRUCTIONS...

MARK IAW MIL-STD-130K, DATED 15 JAN 00.

CONFIGURATION CONTROL APPLIES

SEE CLAUSE 52.246-9G36 (SECTION I).

TECH DATA PACKAGE AVAILABILITY:

A BOEING "RIGHTS GUARD" PROTECTED TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN.

EXPORT CONTROL APPLIES:

AN "EXPORT CONTROL" TECHNICAL DATA PACKAGE (TDP) EXISTS FOR THIS NSN. TECHNICAL DATA WILL ONLY BE RELEASED TO CONTRACTORS AUTHORIZED/CERTIFIED BY DEFENSE LOGISTICS SERVICE CENTER.

13873 QAP-008
TYPE

BASIC DATE: 1997152AMEND NR: AMEND DT:

13873 011774353-00034
TYPE

BASIC DATE: 2000034AMEND NR: AMEND DT:

81205 BAC5307
TYPE

BASIC DATE: 1998099AMEND NR: L AMEND DT: 1998099

81205 BAC5424 TYPE	BASIC DATE: 1983115AMEND NR: U AMEND DT: 1983115
81205 BAC5424 TYPE	BASIC DATE: 1999245AMEND NR: U AMEND DT: 1999245
81205 BAC5619 TYPE	BASIC DATE: 1994173AMEND NR: H AMEND DT: 1994173
81205 BAC5619 TYPE	BASIC DATE: 1992218AMEND NR: H AMEND DT: 1992218
81205 BSS7015 TYPE	BASIC DATE: 1989298AMEND NR: AMEND DT:
81205 65-68624 TYPE 65-68624-3	BASIC DATE: 1986104AMEND NR: C AMEND DT: 1986104

CRITICAL APPLICATION ITEM

PACKAGING

PKGING DATA - MIL-STD-2073-1B & MIL-STD-2073-2C, 21 JUNE 1991
QUP = 001 PRES MTHD = 10 CLNG/DRY = 1 PRESV MAT = 00 WRAP MAT = XX
CUSH/DUNN MAT = XX CUSH/DUNN THKNSS = X UNIT CONT = D3 LEVEL PRESV =
INTRMDT CONT = XX INTRMDT CONT QTY = AAA CONV DT = 1992142
PACK CODE = E PACKING LEVEL = A
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129M SPECIAL
MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH D001450000 REV B
DATED 1997212
SUPPLEMENTAL INSTRUCTIONS
SEE CLAUSE 52.211-9G22, SECTION F, CODE F8,
FOR D001450000 PALLETIZATION REQUIREMENTS.